

CALIFICACIONES EXAMEN DIA 4 DE FEBRERO DE 2020

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE	TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN	
1	01933522G	9	48,03	57,03	APTO	24	APTO
2	03881901F	9	22,7	31,7	NO APTO	>>>>>>	NO APTO
3	07524128T	10	46	56	APTO	26	APTO
4	07539695L	N/P	N/P	N/P	N/P	N/P	NO APTO
5	11437738E	9	46,68	55,68	APTO	27	APTO
6	11819541W	N/P	N/P	N/P	N/P	N/P	NO APTO
7	12754968L	4	42,36	46,36	NO APTO	>>>>>>	NO APTO
8	18108380C	9	39,68	48,68	NO APTO	>>>>>>	NO APTO
9	20450230X	10	34,71	44,71	NO APTO	>>>>>>	NO APTO
10	23285422S	N/P	N/P	N/P	N/P	N/P	NO APTO
11	28644614T	9	33,37	42,37	NO APTO	>>>>>>	NO APTO
12	28968010Q	6	28,07	34,07	NO APTO	>>>>>>	NO APTO
13	33503047M	N/P	N/P	N/P	N/P	N/P	NO APTO
14	36124523X	9	45,36	54,36	APTO	22	APTO
15	39693624V	5	22,76	27,76	NO APTO	>>>>>>	NO APTO
16	40440281W	8	47,68	55,68	APTO	20	APTO
17	41540278R	7	42,7	49,7	NO APTO	>>>>>>	NO APTO
18	41540327G	9	41,69	50,69	APTO	22	APTO
19	41540506E	9	36,02	45,02	NO APTO	>>>>>>	NO APTO
20	41540621E	9	48,36	57,36	APTO	24	APTO
21	41541051S	9	29,73	38,73	NO APTO	>>>>>>	NO APTO
22	41541116B	9	51,68	60,68	APTO	20	APTO
23	41541440J	10	47,02	57,02	APTO	18	NO APTO
24	41541580S	10	45,34	55,34	APTO	12	NO APTO
25	41541681R	10	41,69	51,69	APTO	21	APTO
26	41542317Q	10	22,7	32,7	NO APTO	>>>>>>	NO APTO
27	42971722V	N/P	N/P	N/P	N/P	N/P	NO APTO
28	43001898V	10	35,06	45,06	NO APTO	>>>>>>	NO APTO
29	43004859B	10	46,7	56,7	APTO	26	APTO
30	43023684E	0	16,43	16,43	NO APTO	>>>>>>	NO APTO
31	43026100T	6	49,01	55,01	APTO	27	APTO
32	43029086L	7	43,01	50,01	APTO	29	APTO
33	43030451G	7	48,03	55,03	APTO	26	APTO
34	43038909K	8	52,01	60,01	APTO	20	APTO
35	43044380H	7	37,71	44,71	NO APTO	>>>>>>	NO APTO
36	43044646P	10	40,01	50,01	APTO	25	APTO
37	43049129Y	8	48,68	56,68	APTO	26	APTO
38	43049935F	N/P	N/P	N/P	N/P	N/P	NO APTO
39	43050091W	9	49,35	58,35	APTO	15	NO APTO
40	43050431C	N/P	N/P	N/P	N/P	N/P	NO APTO
41	43054597T	3	34,06	37,06	NO APTO	>>>>>>	NO APTO
42	43057959G	10	42,37	52,37	APTO	18	NO APTO
43	43065490Z	10	53,67	63,67	APTO	25	APTO
44	43066916Z	1	44,04	45,04	NO APTO	>>>>>>	NO APTO
45	43067622F	N/P	N/P	N/P	N/P	N/P	NO APTO
46	43068867X	7	49,36	56,36	APTO	28	APTO
47	43069680H	8	44,68	52,68	APTO	9	NO APTO
48	43076112X	10	44,69	54,69	APTO	22	APTO
49	43076160N	9	41,04	50,04	APTO	16	NO APTO
50	43078280Q	10	52	62	APTO	28	APTO
51	43080107A	7	41,38	48,38	NO APTO	>>>>>>	NO APTO
52	43082890A	2	24,07	26,07	NO APTO	>>>>>>	NO APTO
53	43084927Q	10	47,35	57,35	APTO	26	APTO
54	43085847Q	10	45,36	55,36	APTO	12	NO APTO
55	43086372N	6	35,72	41,72	NO APTO	>>>>>>	NO APTO
56	43087803V	9	47,68	56,68	APTO	26	APTO
57	43092463P	3	38,69	41,69	NO APTO	>>>>>>	NO APTO
58	43093167E	4	43,37	47,37	NO APTO	>>>>>>	NO APTO
59	43094518Q	6	37,05	43,05	NO APTO	>>>>>>	NO APTO
60	43095761V	10	53,68	63,68	APTO	23	APTO
61	43097992V	8	57,34	65,34	APTO	28	APTO

CALIFICACIONES EXAMEN DIA 4 DE FEBRERO DE 2020

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE		TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN
62	43101339Y	3	43,04	46,04	NO APTO	>>>>>>	NO APTO
63	43104803C	6	39,68	45,68	NO APTO	>>>>>>	NO APTO
64	43105656E	8	51,35	59,35	APTO	22	APTO
65	43105794E	4	44,7	48,7	NO APTO	>>>>>>	NO APTO
66	43113400S	10	53,34	63,34	APTO	24	APTO
67	43113934C	10	36,72	46,72	NO APTO	>>>>>>	NO APTO
68	43114361X	5	51,35	56,35	APTO	20	APTO
69	43114384X	10	48,35	58,35	APTO	22	APTO
70	43114598V	10	56,67	66,67	APTO	27	APTO
71	43114831C	9	48,35	57,35	APTO	26	APTO
72	43115337C	9	44,69	53,69	APTO	16	NO APTO
73	43115777V	7	50,67	57,67	APTO	22	APTO
74	43116212K	4	32,07	36,07	NO APTO	>>>>>>	NO APTO
75	43116287G	9	34,05	43,05	NO APTO	>>>>>>	NO APTO
76	43116291P	10	45,67	55,67	APTO	27	APTO
77	43116433N	7	32,72	39,72	NO APTO	>>>>>>	NO APTO
78	43116605T	N/P	N/P	N/P	N/P	N/P	NO APTO
79	43120962X	9	35,06	44,06	NO APTO	>>>>>>	NO APTO
80	43122797M	10	43,7	53,7	APTO	26	APTO
81	43123400X	9	42,04	51,04	APTO	25	APTO
82	43123671M	10	41,7	51,7	APTO	23	APTO
83	43124233S	9	51,34	60,34	APTO	25	APTO
84	43129021L	10	52,34	62,34	APTO	28	APTO
85	43130214Q	9	41,36	50,36	APTO	20	APTO
86	43132411M	10	44,69	54,69	APTO	16	NO APTO
87	43132526M	10	38,7	48,7	NO APTO	>>>>>>	NO APTO
88	43132860V	9	26,08	35,08	NO APTO	>>>>>>	NO APTO
89	43133852C	8	39,38	47,38	NO APTO	>>>>>>	NO APTO
90	43133950A	10	51,34	61,34	APTO	24	APTO
91	43136341W	10	45,35	55,35	APTO	20	APTO
92	43138189X	9	33,4	42,4	NO APTO	>>>>>>	NO APTO
93	43138451L	10	27,38	37,38	NO APTO	>>>>>>	NO APTO
94	43139717C	9	47,69	56,69	APTO	24	APTO
95	43140111T	9	50	59	APTO	26	APTO
96	43140300M	8	46,35	54,35	APTO	30	APTO
97	43140509F	6	39,37	45,37	NO APTO	>>>>>>	NO APTO
98	43142741P	4	28,08	32,08	NO APTO	>>>>>>	NO APTO
99	43143387X	8	45,69	53,69	APTO	25	APTO
100	43143392S	10	48,68	58,68	APTO	23	APTO
101	43143702A	10	44,36	54,36	APTO	8	NO APTO
102	43144020E	7	44,69	51,69	APTO	18	NO APTO
103	43144088K	4	31,06	35,06	NO APTO	>>>>>>	NO APTO
104	43144692G	4	45,03	49,03	NO APTO	>>>>>>	NO APTO
105	43144958V	10	37,01	47,01	NO APTO	>>>>>>	NO APTO
106	43145664X	7	45,69	52,69	APTO	20	APTO
107	43146529R	9	33,7	42,7	NO APTO	>>>>>>	NO APTO
108	43147609T	4	34,38	38,38	NO APTO	>>>>>>	NO APTO
109	43148889S	N/P	N/P	N/P	N/P	N/P	NO APTO
110	43149642D	1	24,74	25,74	NO APTO	>>>>>>	NO APTO
111	43149783N	10	38,68	48,68	NO APTO	>>>>>>	NO APTO
112	43150238F	9	36,34	45,34	NO APTO	>>>>>>	NO APTO
113	43151887T	N/P	N/P	N/P	N/P	N/P	NO APTO
114	43152582M	9	35,7	44,7	NO APTO	>>>>>>	NO APTO
115	43154516F	2	33,39	35,39	NO APTO	>>>>>>	NO APTO
116	43156426P	10	52,68	62,68	APTO	22	APTO
117	43157667F	10	50,67	60,67	APTO	24	APTO
118	43158248J	10	42,34	52,34	APTO	20	APTO
119	43161601P	3	20,72	23,72	NO APTO	>>>>>>	NO APTO
120	43161739P	10	43,69	53,69	APTO	20	APTO
121	43163113W	N/P	N/P	N/P	N/P	N/P	NO APTO
122	43163388R	6	51,68	57,68	APTO	26	APTO

CALIFICACIONES EXAMEN DIA 4 DE FEBRERO DE 2020

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE	TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN	
123	43164400R	10	24,7	34,7	NO APTO	>>>>>>	NO APTO
124	43164659F	10	44,67	54,67	APTO	30	APTO
125	43164838W	10	41,69	51,69	APTO	14	NO APTO
126	43166769R	10	52	62	APTO	22	APTO
127	43167387K	10	42,04	52,04	APTO	22	APTO
128	43168064P	10	53,67	63,67	APTO	23	APTO
129	43169663C	10	48,01	58,01	APTO	25	APTO
130	43169803E	4	48,35	52,35	APTO	14	NO APTO
131	43171007F	10	32,38	42,38	NO APTO	>>>>>>	NO APTO
132	43172769K	N/P	N/P	N/P	N/P	N/P	NO APTO
133	43173162T	9	28,71	37,71	NO APTO	>>>>>>	NO APTO
134	43173163R	9	32,73	41,73	NO APTO	>>>>>>	NO APTO
135	43174337W	7	46,69	53,69	APTO	16	NO APTO
136	43175902A	10	54,34	64,34	APTO	30	APTO
137	43177164T	N/P	N/P	N/P	N/P	N/P	NO APTO
138	43177831T	N/P	N/P	N/P	N/P	N/P	NO APTO
139	43181247N	9	39,03	48,03	NO APTO	>>>>>>	NO APTO
140	43181414H	10	57,67	67,67	APTO	28	APTO
141	43181927W	10	42,04	52,04	APTO	20	APTO
142	43181947E	10	55,01	65,01	APTO	24	APTO
143	43182123Z	N/P	N/P	N/P	N/P	N/P	NO APTO
144	43182835J	10	46,67	56,67	APTO	28	APTO
145	43183061D	7	20,08	27,08	NO APTO	>>>>>>	NO APTO
146	43184381H	N/P	N/P	N/P	N/P	N/P	NO APTO
147	43184534X	7	43,69	50,69	APTO	8	NO APTO
148	43184754T	N/P	N/P	N/P	N/P	N/P	NO APTO
149	43185935P	7	49,36	56,36	APTO	20	APTO
150	43188849R	10	26,74	36,74	NO APTO	>>>>>>	NO APTO
151	43190513D	8	47,67	55,67	APTO	27	APTO
152	43191136B	9	41,35	50,35	APTO	25	APTO
153	43193488V	10	49,34	59,34	APTO	28	APTO
154	43194779C	8	39,71	47,71	NO APTO	>>>>>>	NO APTO
155	43195410F	8	39,04	47,04	NO APTO	>>>>>>	NO APTO
156	43195836L	N/P	N/P	N/P	N/P	N/P	NO APTO
157	43195927H	7	40,36	47,36	NO APTO	>>>>>>	NO APTO
158	43196272H	9	42,7	51,7	APTO	28	APTO
159	43196574K	10	43,35	53,35	APTO	30	APTO
160	43196720Y	8	38,04	46,04	NO APTO	>>>>>>	NO APTO
161	43196768P	10	45,69	55,69	APTO	27	APTO
162	43196831W	6	28,08	34,08	NO APTO	>>>>>>	NO APTO
163	43197064M	10	46,01	56,01	APTO	21	APTO
164	43199648J	7	38,38	45,38	NO APTO	>>>>>>	NO APTO
165	43201669X	7	38,03	45,03	NO APTO	>>>>>>	NO APTO
166	43202143R	10	44,35	54,35	APTO	23	APTO
167	43204286M	9	43,37	52,37	APTO	11	NO APTO
168	43204300L	N/P	N/P	N/P	N/P	N/P	NO APTO
169	43204830C	10	41,36	51,36	APTO	20	APTO
170	43205663W	10	51,01	61,01	APTO	27	APTO
171	43207168N	10	39,71	49,71	NO APTO	>>>>>>	NO APTO
172	43208311M	10	39,35	49,35	NO APTO	>>>>>>	NO APTO
173	43209082V	N/P	N/P	N/P	N/P	N/P	NO APTO
174	43211255M	9	21,43	30,43	NO APTO	>>>>>>	NO APTO
175	43212569P	5	20,05	25,05	NO APTO	>>>>>>	NO APTO
176	43214750G	10	41,01	51,01	APTO	20	APTO

CALIFICACIONES EXAMEN DIA 4 DE FEBRERO DE 2020

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE		TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN
177	43214902H	10	37,38	47,38	NO APTO	>>>>>>	NO APTO
178	43216619X	N/P	N/P	N/P	N/P	N/P	NO APTO
179	43217527K	9	38,71	47,71	NO APTO	>>>>>>	NO APTO
180	43224486B	6	47,02	53,02	APTO	24	APTO
181	43224654H	10	40,05	50,05	APTO	20	APTO
182	43224981T	9	20,39	29,39	NO APTO	>>>>>>	NO APTO
183	43226380L	N/P	N/P	N/P	N/P	N/P	NO APTO
184	43226647X	9	48,01	57,01	APTO	20	APTO
185	43228534B	N/P	N/P	N/P	N/P	N/P	NO APTO
186	43228564H	10	47,01	57,01	APTO	22	APTO
187	43230427H	8	22,69	30,69	NO APTO	>>>>>>	NO APTO
188	43231114S	N/P	N/P	N/P	N/P	N/P	NO APTO
189	43231211C	10	47,67	57,67	APTO	23	APTO
190	43235781J	N/P	N/P	N/P	N/P	N/P	NO APTO
191	43459551Q	N/P	N/P	N/P	N/P	N/P	NO APTO
192	43467606K	0	3,67	3,67	NO APTO	>>>>>>	NO APTO
193	43468853A	10	42,35	52,35	APTO	21	APTO
194	43469185J	9	47,69	56,69	APTO	22	APTO
195	43469502P	10	33,03	43,03	NO APTO	>>>>>>	NO APTO
196	43470550K	10	44,67	54,67	APTO	25	APTO
197	4347086B	1	14,38	15,38	NO APTO	>>>>>>	NO APTO
198	43478624E	7	29,36	36,36	NO APTO	>>>>>>	NO APTO
199	43479638R	9	46,35	55,35	APTO	20	APTO
200	43482613D	6	40,05	46,05	NO APTO	>>>>>>	NO APTO
201	43483126Q	N/P	N/P	N/P	N/P	N/P	NO APTO
202	43483597G	10	46,02	56,02	APTO	28	APTO
203	44325179Q	9	37,05	46,05	NO APTO	>>>>>>	NO APTO
204	44325241D	10	55,01	65,01	APTO	25	APTO
205	44329864D	9	44,02	53,02	APTO	13	NO APTO
206	45192759J	10	37,05	47,05	NO APTO	>>>>>>	NO APTO
207	45371476C	10	46,67	56,67	APTO	24	APTO
208	45372999W	10	45,68	55,68	APTO	21	APTO
209	45472423C	N/P	N/P	N/P	N/P	N/P	NO APTO
210	45691984T	10	31,05	41,05	NO APTO	>>>>>>	NO APTO
211	45696794A	10	46,02	56,02	APTO	28	APTO
212	46389487M	N/P	N/P	N/P	N/P	N/P	NO APTO
213	46389508A	8	49,02	57,02	APTO	23	APTO
214	48199087B	3	36,37	39,37	NO APTO	>>>>>>	NO APTO
215	49605479E	10	36,67	46,67	NO APTO	>>>>>>	NO APTO
216	53128156L	9	39,35	48,35	NO APTO	>>>>>>	NO APTO
217	54623872E	10	45,35	55,35	APTO	24	APTO
218	54630039W	10	50,02	60,02	APTO	27	APTO
219	71656035H	8	35,39	43,39	NO APTO	>>>>>>	NO APTO
220	72875701V	3	39,7	42,7	NO APTO	>>>>>>	NO APTO
221	76036571C	10	48,67	58,67	APTO	26	APTO
222	77303956J	8	44,04	52,04	APTO	25	APTO
223	78205414D	3	42,36	45,36	NO APTO	>>>>>>	NO APTO
224	78213987A	8	43,37	51,37	APTO	24	APTO
225	78218832H	8	41,71	49,71	NO APTO	>>>>>>	NO APTO
226	X0649574P	7	46,02	53,02	APTO	20	APTO
227	X2706873A	9	52,35	61,35	APTO	25	APTO
228	X2896398P	N/P	N/P	N/P	N/P	N/P	NO APTO

CALIFICACIONES EXAMEN DIA 4 DE FEBRERO DE 2020

CALIFICACIONES EXAMEN DIA 4 DE FEBRERO DE 2020							
	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE		TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN
229	X3077659Y	N/P	N/P	N/P	N/P	N/P	NO APTO
230	X3279197H	6	30,73	36,73	NO APTO	>>>>>>	NO APTO
231	X3300419B	3	33,05	36,05	NO APTO	>>>>>>	NO APTO
232	X4349698F	10	52,67	62,67	APTO	26	APTO
233	X4397820J	10	48,35	58,35	APTO	21	APTO
234	X4498043W	0	N/P	0	NO APTO	>>>>>>	NO APTO
235	X4664860T	3	20,1	23,1	NO APTO	>>>>>>	NO APTO
236	X4722646X	4	36,05	40,05	NO APTO	>>>>>>	NO APTO
237	X4833728W	3	39,05	42,05	NO APTO	>>>>>>	NO APTO
238	X6087408K	10	35,39	45,39	NO APTO	>>>>>>	NO APTO
239	X6469829K	4	44,69	48,69	NO APTO	>>>>>>	NO APTO
240	X6796324P	10	44,02	54,02	APTO	22	APTO
241	X6920531S	9	37,36	46,36	NO APTO	>>>>>>	NO APTO
242	X7529004T	N/P	N/P	N/P	N/P	N/P	NO APTO
243	X7563858D	0	18,77	18,77	NO APTO	>>>>>>	NO APTO
244	X7910136E	2	53,68	55,68	APTO	20	APTO
245	X8081771P	8	46,03	54,03	APTO	25	APTO
246	X8124253D	5	16,44	21,44	NO APTO	>>>>>>	NO APTO
247	X8258660G	N/P	N/P	N/P	N/P	N/P	NO APTO
248	X8352370N	N/P	N/P	N/P	N/P	N/P	NO APTO
249	X8539204V	3	31,73	34,73	NO APTO	>>>>>>	NO APTO
250	X9108965E	7	21,43	28,43	NO APTO	>>>>>>	NO APTO
251	X9600872M	1	45,37	46,37	NO APTO	>>>>>>	NO APTO
252	X9833912D	N/P	N/P	N/P	N/P	N/P	NO APTO
253	X9976156K	N/P	N/P	N/P	N/P	N/P	NO APTO
254	Y1194202X	7	45,37	52,37	APTO	8	NO APTO
255	Y1750954R	10	54,34	64,34	APTO	27	APTO
256	Y2848561W	5	49,68	54,68	APTO	20	APTO
257	Y3180274D	6	45,03	51,03	APTO	20	APTO
258	Y3981436N	N/P	N/P	N/P	N/P	N/P	NO APTO
259	Y4977451N	6	54,01	60,01	APTO	26	APTO
260	Y5660390N	0	20,1	20,1	NO APTO	>>>>>>	NO APTO
261	Y5935990A	3	12,12	15,12	NO APTO	>>>>>>	NO APTO

NOTAS ACLARATORIAS:

N/P Persona que no se ha presentado al examen.

>>>> Segunda parte del examen no corregida por no haber obtenido la calificación de APTO en la primera parte