

**CALIFICACIONES EXAMEN DIA 27 DE ABRIL DE 2021**

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE		TOTAL 2ª	CALIFICACIÓN EXAMEN
1	01874837S	5	41,71	46,71	NO APTO	>>>>>	NO APTO
2	02614258D	10	41,37	51,37	APTO	17	NO APTO
3	11445980F	10	52,67	62,67	APTO	28	APTO
4	11846907K	7	50,01	57,01	APTO	27	APTO
5	12754968L	N/P	N/P	N/P	N/P	N/P	NO APTO
6	18226443R	3	23,42	26,42	NO APTO	>>>>>	NO APTO
7	18231945Y	9	42,36	51,36	APTO	28	APTO
8	18233881X	5	43,69	48,69	NO APTO	>>>>>	NO APTO
9	18235513D	7	25,74	32,74	NO APTO	>>>>>	NO APTO
10	30684457L	8	45,36	53,36	APTO	12	NO APTO
11	37338785X	N/P	N/P	N/P	N/P	N/P	NO APTO
12	40971031G	9	47,69	56,69	APTO	24	APTO
13	41518377L	N/P	N/P	N/P	N/P	N/P	NO APTO
14	41538780K	5	11,43	16,43	NO APTO	>>>>>	NO APTO
15	41540128N	8	23,07	31,07	NO APTO	>>>>>	NO APTO
16	41540278R	9	43,02	52,02	APTO	25	APTO
17	41540938V	10	48,35	58,35	APTO	27	APTO
18	41541051S	10	23,07	33,07	NO APTO	>>>>>	NO APTO
19	41541062A	8	53,67	61,67	APTO	28	APTO
20	41711783H	7	41,68	48,68	NO APTO	>>>>>	NO APTO
21	43004929N	N/P	N/P	N/P	N/P	N/P	NO APTO
22	43010914V	5	33,05	38,05	NO APTO	>>>>>	NO APTO
23	43013508N	8	32,37	40,37	NO APTO	>>>>>	NO APTO
24	43015626Z	4	25,42	29,42	NO APTO	>>>>>	NO APTO
25	43015826F	9	44,67	53,67	APTO	22	APTO
26	43021475K	N/P	N/P	N/P	N/P	N/P	NO APTO
27	43021965M	3	24,09	27,09	NO APTO	>>>>>	NO APTO
28	43022087N	0	44,37	44,37	NO APTO	>>>>>	NO APTO
29	43042555X	N/P	N/P	N/P	N/P	N/P	NO APTO
30	43053465H	0	21,76	21,76	NO APTO	>>>>>	NO APTO
31	43054597T	4	53,35	57,35	APTO	20	APTO
32	43055825D	N/P	N/P	N/P	N/P	N/P	NO APTO
33	43056680J	N/P	N/P	N/P	N/P	N/P	NO APTO
34	43060061J	9	48,36	57,36	APTO	27	APTO
35	43062141T	N/P	N/P	N/P	N/P	N/P	NO APTO
36	43065406E	9	49,01	58,01	APTO	28	APTO
37	43066916Z	9	48,36	57,36	APTO	29	APTO
38	43067180W	N/P	N/P	N/P	N/P	N/P	NO APTO
39	43067595A	N/P	N/P	N/P	N/P	N/P	NO APTO
40	43067622F	10	46,01	56,01	APTO	28	APTO
41	43069680H	7	48,35	55,35	APTO	22	APTO
42	43070822X	9	47,34	56,34	APTO	28	APTO
43	43075702Z	N/P	N/P	N/P	N/P	N/P	NO APTO
44	43076132F	N/P	N/P	N/P	N/P	N/P	NO APTO
45	43076398C	N/P	N/P	N/P	N/P	N/P	NO APTO
46	43076933A	4	31,71	35,71	NO APTO	>>>>>	NO APTO
47	43077327Y	N/P	N/P	N/P	N/P	N/P	NO APTO
48	43079000T	8	51,02	59,02	APTO	24	APTO
49	43081330F	10	52,67	62,67	APTO	20	APTO
50	43082855Z	N/P	N/P	N/P	N/P	N/P	NO APTO
51	43085229L	N/P	N/P	N/P	N/P	N/P	NO APTO
52	43085847Q	7	49,02	56,02	APTO	25	APTO
53	43086271A	10	43,02	53,02	APTO	16,5	NO APTO
54	43087403P	8	48,02	56,02	APTO	21	APTO
55	43088715D	8	20,41	28,41	NO APTO	>>>>>	NO APTO
56	43089632Y	N/P	N/P	N/P	N/P	N/P	NO APTO
57	43090006N	9	52,34	61,34	APTO	30	APTO

**CALIFICACIONES EXAMEN DIA 27 DE ABRIL DE 2021**

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE		TOTAL 2ª	CALIFICACIÓN EXAMEN
58	43092091G	10	48,36	58,36	APTO	24	APTO
59	43093519Y	N/P	N/P	N/P	N/P	N/P	NO APTO
60	43094518Q	7	39,05	46,05	NO APTO	>>>>>	NO APTO
61	43095039P	N/P	N/P	N/P	N/P	N/P	NO APTO
62	43098509M	N/P	N/P	N/P	N/P	N/P	NO APTO
63	43099852Z	6	42,71	48,71	NO APTO	>>>>>	NO APTO
64	43100120Y	2	26,75	28,75	NO APTO	>>>>>	NO APTO
65	43100939C	N/P	N/P	N/P	N/P	N/P	NO APTO
66	43100996P	N/P	N/P	N/P	N/P	N/P	NO APTO
67	43101137B	N/P	N/P	N/P	N/P	N/P	NO APTO
68	43101899Z	10	46,35	56,35	APTO	26	APTO
69	43102253T	N/P	N/P	N/P	N/P	N/P	NO APTO
70	43102548L	9	46,36	55,36	APTO	>>>>>	NO APTO
71	43105794E	N/P	N/P	N/P	N/P	N/P	NO APTO
72	43108815F	5	48,68	53,68	APTO	5	NO APTO
73	43115337C	7	46,02	53,02	APTO	21	APTO
74	43116272N	N/P	N/P	N/P	N/P	N/P	NO APTO
75	43116896S	N/P	N/P	N/P	N/P	N/P	NO APTO
76	43119764P	N/P	N/P	N/P	N/P	N/P	NO APTO
77	43120962X	8	49,69	57,69	APTO	25	APTO
78	43121710E	7	21,43	28,43	NO APTO	>>>>>	NO APTO
79	43124514C	N/P	N/P	N/P	N/P	N/P	NO APTO
80	43124836C	N/P	N/P	N/P	N/P	N/P	NO APTO
81	43128192H	8	37,05	45,05	NO APTO	>>>>>	NO APTO
82	43132411M	10	51,02	61,02	APTO	22	APTO
83	43133852C	7	28,07	35,07	NO APTO	>>>>>	NO APTO
84	43136014C	7	50,34	57,34	APTO	20	APTO
85	43136215Z	N/P	N/P	N/P	N/P	N/P	NO APTO
86	43137703F	10	56,01	66,01	APTO	28	APTO
87	43138985R	10	44,02	54,02	APTO	22	APTO
88	43140830Y	5	47,35	52,35	APTO	24	APTO
89	43142254G	10	50,69	60,69	APTO	25	APTO
90	43142370M	9	46,35	55,35	APTO	20	APTO
91	43143573W	N/P	N/P	N/P	N/P	N/P	NO APTO
92	43143702A	8	50,02	58,02	APTO	10	NO APTO
93	43148347W	8	44,01	52,01	APTO	29	APTO
94	43148349G	N/P	N/P	N/P	N/P	N/P	NO APTO
95	43148889S	N/P	N/P	N/P	N/P	N/P	NO APTO
96	43149041Y	8	39,34	47,34	NO APTO	>>>>>	NO APTO
97	43150238F	10	41,34	51,34	APTO	28	APTO
98	43151228P	0	21,43	21,43	NO APTO	>>>>>	NO APTO
99	43153310C	N/P	N/P	N/P	N/P	N/P	NO APTO
100	43153580Z	9	26,73	35,73	NO APTO	>>>>>	NO APTO
101	43153614W	N/P	N/P	N/P	N/P	N/P	NO APTO
102	43153735P	N/P	N/P	N/P	N/P	N/P	NO APTO
103	43154516F	4	33,05	37,05	NO APTO	>>>>>	NO APTO
104	43155868W	N/P	N/P	N/P	N/P	N/P	NO APTO
105	43160385B	10	45,67	55,67	APTO	14	NO APTO
106	43162206S	N/P	N/P	N/P	N/P	N/P	NO APTO
107	43163948D	10	48,35	58,35	APTO	21	APTO
108	43164236K	N/P	N/P	N/P	N/P	N/P	NO APTO
109	43167870K	8	46,36	54,36	APTO	20	APTO
110	43169188M	N/P	N/P	N/P	N/P	N/P	NO APTO
111	43170589A	N/P	N/P	N/P	N/P	N/P	NO APTO
112	43171007F	10	36,04	46,04	NO APTO	>>>>>	NO APTO
113	43171871C	7	44,04	51,04	APTO	26	APTO
114	43172769K	N/P	N/P	N/P	N/P	N/P	NO APTO

**CALIFICACIONES EXAMEN DIA 27 DE ABRIL DE 2021**

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE		TOTAL 2ª	CALIFICACIÓN EXAMEN
115	43173162T	10	50,68	60,68	APTO	23	APTO
116	43173163R	N/P	N/P	N/P	N/P	N/P	NO APTO
117	43173401D	N/P	N/P	N/P	N/P	N/P	NO APTO
118	43174511S	N/P	N/P	N/P	N/P	N/P	NO APTO
119	43175779H	N/P	N/P	N/P	N/P	N/P	NO APTO
120	43176253D	10	46,67	56,67	APTO	20	APTO
121	43177861F	8	36,7	44,7	NO APTO	>>>>>>	NO APTO
122	43178561V	2	15,37	17,37	NO APTO	>>>>>>	NO APTO
123	43179501Z	N/P	N/P	N/P	N/P	N/P	NO APTO
124	43179699M	N/P	N/P	N/P	N/P	N/P	NO APTO
125	43181078G	N/P	N/P	N/P	N/P	N/P	NO APTO
126	43181614B	N/P	N/P	N/P	N/P	N/P	NO APTO
127	43183950R	N/P	N/P	N/P	N/P	N/P	NO APTO
128	43184381H	N/P	N/P	N/P	N/P	N/P	NO APTO
129	43185458P	N/P	N/P	N/P	N/P	N/P	NO APTO
130	43186556P	N/P	N/P	N/P	N/P	N/P	NO APTO
131	43186859N	N/P	N/P	N/P	N/P	N/P	NO APTO
132	43187188L	2	11,12	13,12	NO APTO	>>>>>>	NO APTO
133	43187918J	9	49,35	58,35	APTO	24	APTO
134	43188849R	7	47,01	54,01	APTO	10	NO APTO
135	43190656Z	N/P	N/P	N/P	N/P	N/P	NO APTO
136	43190665T	N/P	N/P	N/P	N/P	N/P	NO APTO
137	43191675K	N/P	N/P	N/P	N/P	N/P	NO APTO
138	43193130G	N/P	N/P	N/P	N/P	N/P	NO APTO
139	43195232J	10	10,41	20,41	NO APTO	>>>>>>	NO APTO
140	43195836L	N/P	N/P	N/P	N/P	N/P	NO APTO
141	43198377F	N/P	N/P	N/P	N/P	N/P	NO APTO
142	43201737D	N/P	N/P	N/P	N/P	N/P	NO APTO
143	43204767A	N/P	N/P	N/P	N/P	N/P	NO APTO
144	43206291D	N/P	N/P	N/P	N/P	N/P	NO APTO
145	43207129L	N/P	N/P	N/P	N/P	N/P	NO APTO
146	43207323Y	7	50,68	57,68	APTO	26	APTO
147	43208632G	10	50,01	60,01	APTO	21	APTO
148	43209082V	N/P	N/P	N/P	N/P	N/P	NO APTO
149	43210427M	N/P	N/P	N/P	N/P	N/P	NO APTO
150	43211339C	8	49,35	57,35	APTO	21	APTO
151	43211780R	8	14,42	22,42	NO APTO	>>>>>>	NO APTO
152	43212569P	6	13,74	19,74	NO APTO	>>>>>>	NO APTO
153	43214103R	9	52,02	61,02	APTO	20	APTO
154	43223773B	N/P	N/P	N/P	N/P	N/P	NO APTO
155	43225422G	N/P	N/P	N/P	N/P	N/P	NO APTO
156	43225783C	10	44,35	54,35	APTO	20	APTO
157	43228534B	N/P	N/P	N/P	N/P	N/P	NO APTO
158	43230427H	7	33,7	40,7	NO APTO	>>>>>>	NO APTO
159	43231114S	N/P	N/P	N/P	N/P	N/P	NO APTO
160	43233385D	N/P	N/P	N/P	N/P	N/P	NO APTO
161	43233650K	4	14,07	18,07	NO APTO	>>>>>>	NO APTO
162	43235578V	N/P	N/P	N/P	N/P	N/P	NO APTO
163	43459994E	N/P	N/P	N/P	N/P	N/P	NO APTO
164	43461924C	6	27,71	33,71	NO APTO	>>>>>>	NO APTO
165	43462154C	N/P	N/P	N/P	N/P	N/P	NO APTO
166	43466409C	N/P	N/P	N/P	N/P	N/P	NO APTO
167	43466796Q	9	48,01	57,01	APTO	23	APTO

**CALIFICACIONES EXAMEN DIA 27 DE ABRIL DE 2021**

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE		TOTAL 2ª	CALIFICACIÓN EXAMEN
168	43468669A	9	32,05	41,05	NO APTO	>>>>>>	NO APTO
169	43470525L	N/P	N/P	N/P	N/P	N/P	NO APTO
170	43473020F	9	50,01	59,01	APTO	29	APTO
171	43475242K	4	11,11	15,11	NO APTO	>>>>>>	NO APTO
172	43475618Y	N/P	N/P	N/P	N/P	N/P	NO APTO
173	43482101A	10	37,38	47,38	NO APTO	>>>>>>	NO APTO
174	43482821X	10	44	54	APTO	22	APTO
175	44325134V	N/P	N/P	N/P	N/P	N/P	NO APTO
176	44325179Q	10	42,04	52,04	APTO	20	APTO
177	44327094E	4	27,07	31,07	NO APTO	>>>>>>	NO APTO
178	44327591J	4	32,07	36,07	NO APTO	>>>>>>	NO APTO
179	45184666Q	10	14,07	24,07	NO APTO	>>>>>>	NO APTO
180	45186779J	7	32,38	39,38	NO APTO	>>>>>>	NO APTO
181	45371337L	9	46,35	55,35	APTO	27	APTO
182	45609703J	5	39,03	44,03	NO APTO	>>>>>>	NO APTO
183	45613953P	0	21,43	21,43	NO APTO	>>>>>>	NO APTO
184	45693473V	7	37,72	44,72	NO APTO	>>>>>>	NO APTO
185	45697013S	10	45,02	55,02	APTO	25	APTO
186	46029741W	N/P	N/P	N/P	N/P	N/P	NO APTO
187	46388832V	6	43,7	49,7	NO APTO	>>>>>>	NO APTO
188	46389487M	8	10,79	18,79	NO APTO	>>>>>>	NO APTO
189	46390167H	N/P	N/P	N/P	N/P	N/P	NO APTO
190	46392570Y	9	36,03	45,03	NO APTO	>>>>>>	NO APTO
191	47252568B	10	54,34	64,34	APTO	26	APTO
192	48199087B	7	43,03	50,03	APTO	22	APTO
193	49480506P	N/P	N/P	N/P	N/P	N/P	NO APTO
194	49776809W	N/P	N/P	N/P	N/P	N/P	NO APTO
195	49867116B	3	37,35	40,35	NO APTO	>>>>>>	NO APTO
196	49922805V	6	44,04	50,04	APTO	20	APTO
197	49924718K	8	46,36	54,36	APTO	28	APTO
198	52757921S	N/P	N/P	N/P	N/P	N/P	NO APTO
199	53051483M	N/P	N/P	N/P	N/P	N/P	NO APTO
200	53597484D	5	33,7	38,7	NO APTO	>>>>>>	NO APTO
201	54876212Y	1	48,36	49,36	NO APTO	>>>>>>	NO APTO
202	70864379E	9	48,69	57,69	APTO	26	APTO
203	72875701V	4	50,02	54,02	APTO	23	APTO
204	76997897S	N/P	N/P	N/P	N/P	N/P	NO APTO
205	77402442J	8	38,38	46,38	NO APTO	>>>>>>	NO APTO
206	78213662T	N/P	N/P	N/P	N/P	N/P	NO APTO
207	78218832H	N/P	N/P	N/P	N/P	N/P	NO APTO
208	78220170E	8	43,68	51,68	APTO	23	APTO
209	X0528642X	1	50,69	51,69	APTO	9	NO APTO
210	X3221070N	N/P	N/P	N/P	N/P	N/P	NO APTO
211	X3279197H	N/P	N/P	N/P	N/P	N/P	NO APTO
212	X4178353N	6	38,37	44,37	NO APTO	>>>>>>	NO APTO
213	X6343271D	4	14,78	18,78	NO APTO	>>>>>>	NO APTO
214	X6469829K	N/P	N/P	N/P	N/P	N/P	NO APTO
215	X6619035A	N/P	N/P	N/P	N/P	N/P	NO APTO
216	X6729219V	N/P	N/P	N/P	N/P	N/P	NO APTO
217	X6902877W	N/P	N/P	N/P	N/P	N/P	NO APTO
218	X7529004T	8	34,73	42,73	NO APTO	>>>>>>	NO APTO

**CALIFICACIONES EXAMEN DIA 27 DE ABRIL DE 2021**

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE		TOTAL 2ª	CALIFICACIÓN EXAMEN
219	X8409291P	7	35,71	42,71	NO APTO	>>>>>>	NO APTO
220	X8539204V	4	36,39	40,39	NO APTO	>>>>>>	NO APTO
221	X8795366M	N/P	N/P	N/P	N/P	N/P	NO APTO
222	X9082619B	N/P	N/P	N/P	N/P	N/P	NO APTO
223	X9600872M	4	42,04	46,04	NO APTO	>>>>>>	NO APTO
224	X9976156K	4	46,68	50,68	APTO	13	NO APTO
225	Y0114525E	N/P	N/P	N/P	N/P	N/P	NO APTO
226	Y0332964F	N/P	N/P	N/P	N/P	N/P	NO APTO
227	Y1194202X	N/P	N/P	N/P	N/P	N/P	NO APTO

**NOTAS ACLARATORIAS:**

**N/P** Persona que no se ha presentado al examen.

**>>>>** Segunda parte del examen no corregida por no haber obtenido la calificación de APTO en la primera parte