

**CALIFICACIONES REVISIONES FINALES EXAMEN DIA 7 DE FEBRERO DE 2023**

	DNI	CALLEJERO	TEST	TOTAL 1ª PARTE		TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN
1	Y0348434K	0	0	0	NO APTO	>>>>	NO APTO
2	07177464S	1	36,06	37,06	NO APTO	>>>>	NO APTO
3	X2710221Q	2	22,71	24,71	NO APTO	>>>>	NO APTO
4	43188449S	N/P	N/P	N/P	N/P	N/P	NO APTO
5	43106957N	N/P	N/P	N/P	N/P	N/P	NO APTO
6	43157959T	0	40,7	40,7	NO APTO	>>>>	NO APTO
7	43085833W	8	45,69	53,69	APTO	7	NO APTO
8	44328394B	6	21,74	27,74	NO APTO	>>>>	NO APTO
9	43467980G	9	12,38	21,38	NO APTO	>>>>	NO APTO
10	Y7376104H	N/P	N/P	N/P	N/P	N/P	NO APTO
11	41510485Q	8	34,03	42,03	NO APTO	>>>>	NO APTO
12	43063413F	7	39,36	46,36	NO APTO	>>>>	NO APTO
13	45371117Y	7	11,1	18,1	NO APTO	>>>>	NO APTO
14	43141591P	10	38,38	48,38	NO APTO	>>>>	NO APTO
15	43030174A	3	32,4	35,4	NO APTO	>>>>	NO APTO
16	46389250K	10	30,4	40,4	NO APTO	>>>>	NO APTO
17	41571788R	8	41,04	49,04	NO APTO	>>>>	NO APTO
18	43182945P	10	53,01	63,01	APTO	18	APTO
19	43147641D	10	33,06	43,06	NO APTO	>>>>	NO APTO
20	11074700Q	8	44,69	52,69	APTO	10	NO APTO
21	45610016G	9	36,37	45,37	NO APTO	>>>>	NO APTO
22	45610018Y	10	52,68	62,68	APTO	17	APTO
23	43235781J	N/P	N/P	N/P	N/P	N/P	NO APTO
24	45725037W	N/P	N/P	N/P	N/P	N/P	NO APTO
25	43168647Q	10	54,68	64,68	APTO	10	NO APTO
26	43186620A	8	45,68	53,68	APTO	17	APTO
27	43461352T	6	38,05	44,05	NO APTO	>>>>	NO APTO
28	43466797V	3	20,05	23,05	NO APTO	>>>>	NO APTO
29	43065550M	4	31,71	35,71	NO APTO	>>>>	NO APTO
30	41542181H	10	34,38	44,38	NO APTO	>>>>	NO APTO
31	30956898W	7	33,39	40,39	NO APTO	>>>>	NO APTO
32	45612998L	N/P	N/P	N/P	N/P	N/P	NO APTO
33	43477175E	10	29,41	39,41	NO APTO	>>>>	NO APTO
34	43226354Q	N/P	N/P	N/P	N/P	N/P	NO APTO
35	46392570Y	8	35,71	43,71	NO APTO	>>>>	NO APTO
36	41542702X	10	26,75	36,75	NO APTO	>>>>	NO APTO
37	43094518Q	8	45,01	53,01	APTO	13	APTO
38	50864290C	2	25,74	27,74	NO APTO	>>>>	NO APTO
39	43165686E	7	32,71	39,71	NO APTO	>>>>	NO APTO
40	Y0558311T	8	47,03	55,03	APTO	10	NO APTO
41	45691692F	5	22,74	27,74	NO APTO	>>>>	NO APTO
42	43105229D	N/P	N/P	N/P	N/P	N/P	NO APTO
43	54630870M	N/P	N/P	N/P	N/P	N/P	NO APTO
44	43166662D	N/P	N/P	N/P	N/P	N/P	NO APTO
45	43177472D	N/P	N/P	N/P	N/P	N/P	NO APTO
46	X8695828B	5	18,74	23,74	NO APTO	>>>>	NO APTO
47	X2548167C	2	22,73	24,73	NO APTO	>>>>	NO APTO
48	45610427R	6	41,38	47,38	NO APTO	>>>>	NO APTO
49	52031696S	7	37,39	44,39	NO APTO	>>>>	NO APTO
50	49610067X	3	34,05	37,05	NO APTO	>>>>	NO APTO
51	43218063M	9	39,71	48,71	NO APTO	>>>>	NO APTO
52	43213998B	6	11,76	17,76	NO APTO	>>>>	NO APTO
53	43174511S	10	32,72	42,72	NO APTO	>>>>	NO APTO
54	51891553B	9	43,7	52,7	APTO	15	APTO
55	43217466Y	10	40,38	50,38	APTO	10	NO APTO
56	43233653R	4	36,05	40,05	NO APTO	>>>>	NO APTO
57	41711005E	7	32,7	39,7	NO APTO	>>>>	NO APTO
58	X7695795H	0	14,77	14,77	NO APTO	>>>>	NO APTO
59	43180198K	9	44,69	53,69	APTO	6	NO APTO

**CALIFICACIONES REVISIONES FINALES EXAMEN DIA 7 DE FEBRERO DE 2023**

	DNI	CALLEJERO	TEST	TOTAL 1ª PARTE	TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN	
60	43124049S	0	17,75	17,75	NO APTO	>>>>	NO APTO
61	43218807J	N/P	N/P	N/P	N/P	N/P	NO APTO
62	77402442J	9	44,69	53,69	APTO	9	NO APTO
63	43126786S	10	45,37	55,37	APTO	5	NO APTO
64	76267131M	3	44,36	47,36	NO APTO	>>>>	NO APTO
65	43210413Z	10	38,03	48,03	NO APTO	>>>>	NO APTO
66	43220013T	10	48,01	58,01	APTO	19	APTO
67	41540222Z	6	40,35	46,35	NO APTO	>>>>	NO APTO
68	78205414D	4	35,38	39,38	NO APTO	>>>>	NO APTO
69	41519133Q	5	39,36	44,36	NO APTO	>>>>	NO APTO
70	43169188M	10	49,02	59,02	APTO	14	APTO
71	43223175B	9	43,35	52,35	APTO	16	APTO
72	43090722S	3	40,7	43,7	NO APTO	>>>>	NO APTO
73	43050006D	6	39,05	45,05	NO APTO	>>>>	NO APTO
74	43150619C	8	49,35	57,35	APTO	10	NO APTO
75	43215825K	N/P	N/P	N/P	N/P	N/P	NO APTO
76	43170722K	N/P	N/P	N/P	N/P	N/P	NO APTO
77	41520322D	10	31,7	41,7	NO APTO	>>>>	NO APTO
78	43167441Y	N/P	N/P	N/P	N/P	N/P	NO APTO
79	43120859E	7	34,04	41,04	NO APTO	>>>>	NO APTO
80	43148927F	10	49,69	59,69	APTO	17	APTO
81	31673991R	6	37,71	43,71	NO APTO	>>>>	NO APTO
82	41697520S	4	38,72	42,72	NO APTO	>>>>	NO APTO
83	43135383X	8	41,35	49,35	NO APTO	>>>>	NO APTO
84	43152340Q	9	35,72	44,72	NO APTO	>>>>	NO APTO
85	43150654D	4	36,06	40,06	NO APTO	>>>>	NO APTO
86	43233904E	10	34,39	44,39	NO APTO	>>>>	NO APTO
87	43084912R	7	47,36	54,36	APTO	3	NO APTO
88	43133816F	10	44,68	54,68	APTO	17	APTO
89	X3626577Y	9	44,37	53,37	APTO	6	NO APTO
90	49071447G	8	35,38	43,38	NO APTO	>>>>	NO APTO
91	43054303M	8	20,06	28,06	NO APTO	>>>>	NO APTO
92	43159047F	8	33,73	41,73	NO APTO	>>>>	NO APTO
93	43133478Z	5	48,36	53,36	APTO	13	APTO
94	43039177J	6	34,38	40,38	NO APTO	>>>>	NO APTO
95	43148396M	8	37,39	45,39	NO APTO	>>>>	NO APTO
96	49609358Z	5	16,07	21,07	NO APTO	>>>>	NO APTO
97	43070791W	10	47,69	57,69	APTO	19	APTO
98	43172046B	9	47,01	56,01	APTO	17	APTO
99	43231768W	10	39,04	49,04	NO APTO	>>>>	NO APTO
100	43144088K	8	29,39	37,39	NO APTO	>>>>	NO APTO
101	43148087H	N/P	N/P	N/P	N/P	N/P	NO APTO
102	50759309B	3	37,03	40,03	NO APTO	>>>>	NO APTO
103	43147206B	10	46,34	56,34	APTO	4	NO APTO
104	43470359Z	N/P	N/P	N/P	N/P	N/P	NO APTO
105	Y3389706A	3	35,05	38,05	NO APTO	>>>>	NO APTO
106	43141143C	9	50,67	59,67	APTO	17	APTO
107	43191344N	10	44,37	54,37	APTO	6	NO APTO
108	41540749N	10	44,01	54,01	APTO	20	APTO
109	43088072X	7	28,71	35,71	NO APTO	>>>>	NO APTO
110	43103372S	7	40,03	47,03	NO APTO	>>>>	NO APTO
111	43175310D	9	20,1	29,1	NO APTO	>>>>	NO APTO
112	49614453A	1	23,06	24,06	NO APTO	>>>>	NO APTO
113	43093874Q	10	52,01	62,01	APTO	20	APTO
114	Y1121302C	8	45,37	53,37	APTO	5	NO APTO
115	Y0631476W	10	47,01	57,01	APTO	14	APTO
116	Y2064771Y	7	47,03	54,03	APTO	13	APTO
117	43472431Q	8	35,71	43,71	NO APTO	>>>>	NO APTO
118	43126961Y	5	41,02	46,02	NO APTO	>>>>	NO APTO

**CALIFICACIONES REVISIONES FINALES EXAMEN DIA 7 DE FEBRERO DE 2023**

	DNI	CALLEJERO	TEST	TOTAL 1ª PARTE	TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN	
119	48835618V	10	32,72	42,72	NO APTO	>>>>	NO APTO
120	04305410V	8	47,35	55,35	APTO	10	NO APTO
121	43055442V	10	38,04	48,04	NO APTO	>>>>	NO APTO
122	45699694M	8	43,04	51,04	APTO	4	NO APTO
123	43062274H	8	34,39	42,39	NO APTO	>>>>	NO APTO
124	X3742331R	7	36,38	43,38	NO APTO	>>>>	NO APTO
125	43203088A	N/P	N/P	N/P	N/P	N/P	NO APTO
126	43140990M	6	45,7	51,7	APTO	19	APTO
127	43116728P	8	34,36	42,36	NO APTO	>>>>	NO APTO
128	43203351J	4	40,04	44,04	NO APTO	>>>>	NO APTO
129	41518377L	8	33,06	41,06	NO APTO	>>>>	NO APTO
130	43211623M	0	12,12	12,12	NO APTO	>>>>	NO APTO
131	43138984T	7	48,69	55,69	APTO	13	APTO
132	43181278C	N/P	N/P	N/P	N/P	N/P	NO APTO
133	43463922V	10	38,69	48,69	NO APTO	>>>>	NO APTO
134	43194500V	N/P	N/P	N/P	N/P	N/P	NO APTO
135	01876017E	8	45,35	53,35	APTO	13	APTO
136	46396377H	5	10,78	15,78	NO APTO	>>>>	NO APTO
137	48353464N	N/P	N/P	N/P	N/P	N/P	NO APTO
138	41446458K	10	50,01	60,01	APTO	10	NO APTO
139	43209285J	N/P	N/P	N/P	N/P	N/P	NO APTO
140	49779524A	9	36,05	45,05	NO APTO	>>>>	NO APTO
141	43201737D	10	44,35	54,35	APTO	8	NO APTO
142	42997817F	7	44,7	51,7	APTO	6	NO APTO
143	X5452991J	10	32,06	42,06	NO APTO	>>>>	NO APTO
144	X2842930S	1	38,72	39,72	NO APTO	>>>>	NO APTO
145	43164838W	10	42,7	52,7	APTO	16	APTO
146	06016525R	10	46,34	56,34	APTO	7	NO APTO
147	X8546280D	9	38,38	47,38	NO APTO	>>>>	NO APTO
148	49481298H	N/P	N/P	N/P	N/P	N/P	NO APTO
149	30957317F	5	30,4	35,4	NO APTO	>>>>	NO APTO
150	34068487J	N/P	N/P	N/P	N/P	N/P	NO APTO
151	41541786Z	9	35,7	44,7	NO APTO	>>>>	NO APTO
152	43473215H	10	42,34	52,34	APTO	13	APTO
153	18235052P	10	45,7	55,7	APTO	13	APTO
154	42389885B	N/P	N/P	N/P	N/P	N/P	NO APTO
155	54877600Z	N/P	N/P	N/P	N/P	N/P	NO APTO
156	45694558K	2	34,04	36,04	NO APTO	>>>>	NO APTO
157	43173163R	10	44,7	54,7	APTO	20	APTO
158	43173725B	9	48,35	57,35	APTO	20	APTO
159	43184999S	4	23,08	27,08	NO APTO	>>>>	NO APTO
160	46677698A	8	46,02	54,02	APTO	6	NO APTO
161	46389487M	10	20,43	30,43	NO APTO	>>>>	NO APTO
162	43213852A	9	42,36	51,36	APTO	20	APTO
163	43117116M	7	32,69	39,69	NO APTO	>>>>	NO APTO
164	43164030E	10	12,45	22,45	NO APTO	>>>>	NO APTO
165	43127591S	10	47,35	57,35	APTO	19	APTO
166	43204465T	9	42,35	51,35	APTO	5	NO APTO
167	43142892K	10	38,35	48,35	NO APTO	>>>>	NO APTO
168	43478556T	6	34,73	40,73	NO APTO	>>>>	NO APTO
169	43067167N	N/P	N/P	N/P	N/P	N/P	NO APTO
170	08112502B	7	40,71	47,71	NO APTO	>>>>	NO APTO
171	X6717524Y	5	48,01	53,01	APTO	17	APTO

**CALIFICACIONES REVISIONES FINALES EXAMEN DIA 7 DE FEBRERO DE 2023**

	DNI	CALLEJERO	TEST	TOTAL 1ª PARTE	TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN	
172	Y3683809M	10	45,01	55,01	APTO	17	APTO
173	43119690A	8	41,69	49,69	NO APTO	>>>>	NO APTO
174	43175590J	10	19,76	29,76	NO APTO	>>>>	NO APTO
175	43167002G	8	32,38	40,38	NO APTO	>>>>	NO APTO
176	41543116X	10	28,37	38,37	NO APTO	>>>>	NO APTO
177	41540508R	N/P	N/P	N/P	N/P	N/P	NO APTO
178	73013594W	10	24,09	34,09	NO APTO	>>>>	NO APTO
179	41540394W	9	26,07	35,07	NO APTO	>>>>	NO APTO
180	43161440P	N/P	N/P	N/P	N/P	N/P	NO APTO
181	49610606C	4	22,4	26,4	NO APTO	>>>>	NO APTO
182	43175374G	9	21,43	30,43	NO APTO	>>>>	NO APTO
183	71940765P	7	38,02	45,02	NO APTO	>>>>	NO APTO
184	43144385L	10	38,7	48,7	NO APTO	>>>>	NO APTO
185	43188935H	10	49,69	59,69	APTO	13	APTO
186	46389204K	9	41,38	50,38	APTO	5	NO APTO
187	43174122V	8	49,01	57,01	APTO	17	APTO
188	43174121Q	9	46,7	55,7	APTO	15	APTO
189	43079906D	N/P	N/P	N/P	N/P	N/P	NO APTO
190	44327151X	8	26,4	34,4	NO APTO	>>>>	NO APTO
191	43234407L	10	45,01	55,01	APTO	13	APTO
192	43182419B	10	45,68	55,68	APTO	19	APTO
193	43182416P	9	34,38	43,38	NO APTO	>>>>	NO APTO
194	43077357J	N/P	N/P	N/P	N/P	N/P	NO APTO
195	43193272P	6	21,74	27,74	NO APTO	>>>>	NO APTO
196	43143702A	3	42,01	45,01	NO APTO	>>>>	NO APTO
197	Y0609214G	0	33,4	33,4	NO APTO	>>>>	NO APTO
198	43220273F	N/P	N/P	N/P	N/P	N/P	NO APTO
199	43116896S	8	31,39	39,39	NO APTO	>>>>	NO APTO
200	49606428M	8	41,02	49,02	NO APTO	>>>>	NO APTO
201	43121373F	9	48,03	57,03	APTO	17	APTO
202	43188646M	10	43,03	53,03	APTO	5	NO APTO
203	49484803G	N/P	N/P	N/P	N/P	N/P	NO APTO
204	43074540W	8	45,37	53,37	APTO	7	NO APTO
205	43174480F	7	39,38	46,38	NO APTO	>>>>	NO APTO
206	43180086R	N/P	N/P	N/P	N/P	N/P	NO APTO
207	43145121L	10	35,38	45,38	NO APTO	>>>>	NO APTO
208	43091730B	6	33,72	39,72	NO APTO	>>>>	NO APTO
209	43125377D	9	40,03	49,03	NO APTO	>>>>	NO APTO
210	43473667X	N/P	N/P	N/P	N/P	N/P	NO APTO
211	43473670J	0	9,46	9,46	NO APTO	>>>>	NO APTO
212	78218103W	9	48,01	57,01	APTO	20	APTO
213	43152477S	7	46,03	53,03	APTO	18	APTO
214	41541763Z	8	45,35	53,35	APTO	19	APTO
215	43179068H	9	40,36	49,36	NO APTO	>>>>	NO APTO
216	43475705R	8	41,69	49,69	NO APTO	>>>>	NO APTO
217	43177506C	10	38,02	48,02	NO APTO	>>>>	NO APTO
218	43217617L	10	38,37	48,37	NO APTO	>>>>	NO APTO
219	45697517J	10	22,73	32,73	NO APTO	>>>>	NO APTO
220	43127546Q	8	0	8	NO APTO	>>>>	NO APTO
221	43174498W	9	33,71	42,71	NO APTO	>>>>	NO APTO

**CALIFICACIONES REVISIONES FINALES EXAMEN DIA 7 DE FEBRERO DE 2023**

	DNI	CALLEJERO	TEST	TOTAL 1ª PARTE	TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN	
222	43174052Q	9	46,7	55,7	APTO	13	APTO
223	43014184K	10	50,68	60,68	APTO	6	NO APTO
224	34067884P	8	43,04	51,04	APTO	20	APTO
225	43162186H	6	27,74	33,74	NO APTO	>>>>	NO APTO
226	43078714J	9	39,04	48,04	NO APTO	>>>>	NO APTO
227	X2594126W	9	27,4	36,4	NO APTO	>>>>	NO APTO
228	43224069P	10	18,13	28,13	NO APTO	>>>>	NO APTO
229	44052069P	7	35,37	42,37	NO APTO	>>>>	NO APTO
230	43167674D	2	13,45	15,45	NO APTO	>>>>	NO APTO
231	43178952V	10	38,72	48,72	NO APTO	>>>>	NO APTO
232	43469339Y	6	40,7	46,7	NO APTO	>>>>	NO APTO
233	43171007F	N/P	N/P	N/P	N/P	N/P	NO APTO
234	77344647V	5	49,02	54,02	APTO	20	APTO
235	54870608Z	6	44,37	50,37	APTO	13	APTO
236	43191354E	6	19,1	25,1	NO APTO	>>>>	NO APTO
237	34891338Q	N/P	N/P	N/P	N/P	N/P	NO APTO
238	49923696B	3	41,38	44,38	NO APTO	>>>>	NO APTO
239	Y3354909M	4	51,35	55,35	APTO	9	NO APTO
240	43144866V	8	29,37	37,37	NO APTO	>>>>	NO APTO
241	43150525H	9	50,01	59,01	APTO	20	APTO
242	43204138H	10	47,03	57,03	APTO	14	APTO
243	43224122S	N/P	N/P	N/P	N/P	N/P	NO APTO
244	43229120E	10	44,67	54,67	APTO	20	APTO
245	43172517E	10	47,34	57,34	APTO	20	APTO
246	43097118V	4	50,35	54,35	APTO	18	APTO
247	43483126Q	10	46,02	56,02	APTO	10	NO APTO
248	X2355450C	6	24,7	30,7	NO APTO	>>>>	NO APTO
249	43058830R	8	41,03	49,03	NO APTO	>>>>	NO APTO
250	Y6017257B	5	14,78	19,78	NO APTO	>>>>	NO APTO
251	43010283F	6	31,71	37,71	NO APTO	>>>>	NO APTO
252	X8727594Z	N/P	N/P	N/P	N/P	N/P	NO APTO
253	43092463P	7	26,39	33,39	NO APTO	>>>>	NO APTO
254	43473022D	9	36,35	45,35	NO APTO	>>>>	NO APTO
255	07175645J	7	32,7	39,7	NO APTO	>>>>	NO APTO
256	43138159A	7	26,74	33,74	NO APTO	>>>>	NO APTO
257	43228353Z	10	53,01	63,01	APTO	17	APTO
258	43162918Z	9	45,34	54,34	APTO	20	APTO
259	43002061L	6	43,7	49,7	NO APTO	>>>>	NO APTO
260	43088653Q	7	40,71	47,71	NO APTO	>>>>	NO APTO
261	43461924C	8	26,05	34,05	NO APTO	>>>>	NO APTO
262	43067595A	10	49,34	59,34	APTO	13	APTO
263	43205114M	5	29,05	34,05	NO APTO	>>>>	NO APTO
264	43113206M	9	34,06	43,06	NO APTO	>>>>	NO APTO
265	30508906G	5	49	54	APTO	7	NO APTO
266	21471838G	6	42,71	48,71	NO APTO	>>>>	NO APTO
267	43195836L	N/P	N/P	N/P	N/P	N/P	NO APTO
268	49605339C	5	9,79	14,79	NO APTO	>>>>	NO APTO
269	45694808H	6	33,72	39,72	NO APTO	>>>>	NO APTO
270	04303547V	N/P	N/P	N/P	N/P	N/P	NO APTO

**CALIFICACIONES REVISIONES FINALES EXAMEN DIA 7 DE FEBRERO DE 2023**

	DNI	CALLEJERO	TEST	TOTAL 1ª PARTE	TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN	
271	43231801N	6	50	56	APTO	15	APTO
272	80099012V	6	29,03	35,03	NO APTO	>>>>	NO APTO
273	43170786Q	6	25,42	31,42	NO APTO	>>>>	NO APTO
274	49776679X	9	30,37	39,37	NO APTO	>>>>	NO APTO
275	43205556X	9	42,02	51,02	APTO	18	APTO
276	43462154C	9	45,68	54,68	APTO	20	APTO
277	52034267X	N/P	N/P	N/P	N/P	N/P	NO APTO
278	45371588V	6	23,72	29,72	NO APTO	>>>>	NO APTO
279	43140932Q	8	46,7	54,7	APTO	10	NO APTO
280	49612812H	N/P	N/P	N/P	N/P	N/P	NO APTO
281	04302017M	5	41,69	46,69	NO APTO	>>>>	NO APTO

**NOTAS ACLARATORIAS:**

**N/P** Persona que no se ha presentado al examen.

**>>>>** Segunda parte del examen no corregida por no haber obtenido la calificación de APTO en la primera parte