

CALIFICACIONES EXAMEN DIA 2 DE MAYO DE 2023

| | D.N.I. | CALLEJERO | TEST | TOTAL 1ª PARTE | TOTAL 2ª PARTE | CALIFICACIÓN EXAMEN | |
|----|-----------|-----------|-------|----------------|----------------|---------------------|---------|
| 1 | 08112502B | 6 | 44,69 | 50,69 | APTO | 9 | NO APTO |
| 2 | 43014184K | 6 | 46,69 | 52,69 | APTO | 0 | NO APTO |
| 3 | 43171007F | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 4 | 04306814H | 0 | 33,39 | 33,39 | NO APTO | | NO APTO |
| 5 | 43163113W | 9 | 48,01 | 57,01 | APTO | 1 | NO APTO |
| 6 | 07177464S | 2 | 28,08 | 30,08 | NO APTO | | NO APTO |
| 7 | 43147430M | 5 | 27,05 | 32,05 | NO APTO | | NO APTO |
| 8 | 43116854L | 9 | 46,02 | 55,02 | APTO | 13 | APTO |
| 9 | X2710221Q | 1 | 24,68 | 25,68 | NO APTO | | NO APTO |
| 10 | X5070168W | 7 | 49,01 | 56,01 | APTO | 10 | NO APTO |
| 11 | 53600100A | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 12 | 43120572B | 4 | 16,11 | 20,11 | NO APTO | | NO APTO |
| 13 | 41663627R | 8 | 13,08 | 21,08 | NO APTO | | NO APTO |
| 14 | 43085833W | 7 | 30,72 | 37,72 | NO APTO | | NO APTO |
| 15 | 43166628K | 8 | 40,68 | 48,68 | NO APTO | | NO APTO |
| 16 | 43116582T | 6 | 28,08 | 34,08 | NO APTO | | NO APTO |
| 17 | 43107801M | 2 | 19,1 | 21,1 | NO APTO | | NO APTO |
| 18 | 43226171V | 6 | 17,41 | 23,41 | NO APTO | | NO APTO |
| 19 | 43141591P | 10 | 41,02 | 51,02 | APTO | 13 | APTO |
| 20 | 43188249E | 4 | 12,77 | 16,77 | NO APTO | | NO APTO |
| 21 | 43029078B | 5 | 34,04 | 39,04 | NO APTO | | NO APTO |
| 22 | 46389250K | 8 | 28,71 | 36,71 | NO APTO | | NO APTO |
| 23 | 41571788R | 6 | 47,02 | 53,02 | APTO | 9 | NO APTO |
| 24 | 74680909R | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 25 | 43080384G | 10 | 30,36 | 40,36 | NO APTO | | NO APTO |
| 26 | 43072459Z | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 27 | 11074700Q | 7 | 46,01 | 53,01 | APTO | 15 | APTO |
| 28 | 45610016G | 6 | 31,04 | 37,04 | NO APTO | | NO APTO |
| 29 | 43235781J | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 30 | 43168647Q | 10 | 49,34 | 59,34 | APTO | 13 | APTO |
| 31 | 43134296G | 2 | 30,71 | 32,71 | NO APTO | | NO APTO |
| 32 | Y3119972J | 2 | 27,72 | 29,72 | NO APTO | | NO APTO |
| 33 | 78221916C | 4 | 31,35 | 35,35 | NO APTO | | NO APTO |
| 34 | 43216247Y | 9 | 44,68 | 53,68 | APTO | 13 | APTO |
| 35 | 43065550M | 2 | 37,37 | 39,37 | NO APTO | | NO APTO |
| 36 | 43086449C | 9 | 43,37 | 52,37 | APTO | 14 | APTO |
| 37 | 41542181H | 6 | 38,71 | 44,71 | NO APTO | | NO APTO |
| 38 | 49771750A | 6 | 35,05 | 41,05 | NO APTO | | NO APTO |
| 39 | 43216619X | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 40 | 73084676Z | 2 | 20,1 | 22,1 | NO APTO | | NO APTO |
| 41 | 30956898W | 7 | 40,36 | 47,36 | NO APTO | | NO APTO |
| 42 | 43179235R | 10 | 46,01 | 56,01 | APTO | 11 | NO APTO |
| 43 | 45612998L | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 44 | 43477175E | 6 | 24,09 | 30,09 | NO APTO | | NO APTO |
| 45 | 46392570Y | 10 | 38,7 | 48,7 | NO APTO | | NO APTO |
| 46 | 41542702X | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 47 | 43184534X | 5 | 35,72 | 40,72 | NO APTO | | NO APTO |
| 48 | 50864290C | 2 | 24,69 | 26,69 | NO APTO | | NO APTO |
| 49 | 43179943L | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 50 | 45697231A | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 51 | 43227847Z | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 52 | 43165686E | 4 | 42,71 | 46,71 | NO APTO | | NO APTO |
| 53 | Y0558311T | 9 | 38,05 | 47,05 | NO APTO | | NO APTO |
| 54 | 43105229D | 8 | 30,05 | 38,05 | NO APTO | | NO APTO |
| 55 | 43228746Q | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 56 | Y5716627Z | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 57 | 40971110Z | 6 | 51,34 | 57,34 | APTO | 2 | NO APTO |
| 58 | X2548167C | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 59 | 45610427R | 9 | 40,36 | 49,36 | NO APTO | | NO APTO |

CALIFICACIONES EXAMEN DIA 2 DE MAYO DE 2023

| | D.N.I. | CALLEJERO | TEST | TOTAL 1ª PARTE | | TOTAL 2ª PARTE | CALIFICACIÓN EXAMEN |
|-----|-----------|-----------|-------|----------------|---------|----------------|---------------------|
| 60 | 41695204E | 1 | 21,41 | 22,41 | NO APTO | | NO APTO |
| 61 | 52031696S | 10 | 47,03 | 57,03 | APTO | 0 | NO APTO |
| 62 | 43225466W | 5 | 15,73 | 20,73 | NO APTO | | NO APTO |
| 63 | 43218063M | 3 | 41,7 | 44,7 | NO APTO | | NO APTO |
| 64 | 43213998B | 8 | 25,4 | 33,4 | NO APTO | | NO APTO |
| 65 | 43174511S | 9 | 35,7 | 44,7 | NO APTO | | NO APTO |
| 66 | 43119011Z | 8 | 21,42 | 29,42 | NO APTO | | NO APTO |
| 67 | 43153308H | 7 | 48,03 | 55,03 | APTO | 0 | NO APTO |
| 68 | 43217466Y | 8 | 44,37 | 52,37 | APTO | 1 | NO APTO |
| 69 | 43233653R | 6 | 35,71 | 41,71 | NO APTO | | NO APTO |
| 70 | 41711005E | 5 | 36,39 | 41,39 | NO APTO | | NO APTO |
| 71 | X7695795H | 0 | 20,76 | 20,76 | NO APTO | | NO APTO |
| 72 | 43135956P | 8 | 40,7 | 48,7 | NO APTO | | NO APTO |
| 73 | 41541582V | 3 | 20,05 | 23,05 | NO APTO | | NO APTO |
| 74 | 43180198K | 10 | 50,68 | 60,68 | APTO | 13 | APTO |
| 75 | 43124529N | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 76 | 43118899V | 4 | 24,73 | 28,73 | NO APTO | | NO APTO |
| 77 | 43224102H | 7 | 38,36 | 45,36 | NO APTO | | NO APTO |
| 78 | 43118236K | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 79 | 43082151T | 4 | 43,69 | 47,69 | NO APTO | | NO APTO |
| 80 | 77402442J | 6 | 32,39 | 38,39 | NO APTO | | NO APTO |
| 81 | 43126786S | 9 | 41,04 | 50,04 | APTO | 3 | NO APTO |
| 82 | 76267131M | 4 | 45,03 | 49,03 | NO APTO | | NO APTO |
| 83 | 43210413Z | 7 | 37,01 | 44,01 | NO APTO | | NO APTO |
| 84 | 43109560Q | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 85 | 41540222Z | 9 | 36,37 | 45,37 | NO APTO | | NO APTO |
| 86 | 41519133Q | 5 | 43,34 | 48,34 | NO APTO | | NO APTO |
| 87 | 43056920T | 7 | 40,02 | 47,02 | NO APTO | | NO APTO |
| 88 | 49607643R | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 89 | 43090722S | 3 | 42,68 | 45,68 | NO APTO | | NO APTO |
| 90 | 43050006D | 3 | 22,42 | 25,42 | NO APTO | | NO APTO |
| 91 | 43116369V | 9 | 45,02 | 54,02 | APTO | 0 | NO APTO |
| 92 | 41540736E | 6 | 46,36 | 52,36 | APTO | 1 | NO APTO |
| 93 | 43047490T | 6 | 46,01 | 52,01 | APTO | 9 | NO APTO |
| 94 | 43150619C | 8 | 48,35 | 56,35 | APTO | 14 | APTO |
| 95 | 43469248F | 10 | 46,67 | 56,67 | APTO | 13 | APTO |
| 96 | 44325897K | 9 | 48,69 | 57,69 | APTO | 11 | NO APTO |
| 97 | 41520322D | 10 | 28,36 | 38,36 | NO APTO | | NO APTO |
| 98 | 41541729A | 10 | 38,36 | 48,36 | NO APTO | | NO APTO |
| 99 | 43120859E | 7 | 44,36 | 51,36 | APTO | 0 | NO APTO |
| 100 | 05256859W | 2 | 42,01 | 44,01 | NO APTO | | NO APTO |
| 101 | 43148927F | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 102 | 31673991R | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 103 | 41697520S | 7 | 31,05 | 38,05 | NO APTO | | NO APTO |
| 104 | 43135383X | 6 | 40,67 | 46,67 | NO APTO | | NO APTO |
| 105 | 43152340Q | 10 | 46,03 | 56,03 | APTO | 10 | NO APTO |
| 106 | 43233904E | 7 | 39,37 | 46,37 | NO APTO | | NO APTO |
| 107 | 43084912R | 2 | 48,03 | 50,03 | APTO | 0 | NO APTO |
| 108 | X3626577Y | 8 | 37,7 | 45,7 | NO APTO | | NO APTO |
| 109 | 49071447G | 8 | 39,03 | 47,03 | NO APTO | | NO APTO |
| 110 | 43054303M | 3 | 28,71 | 31,71 | NO APTO | | NO APTO |
| 111 | 49779044Y | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 112 | 43159047F | 8 | 37,39 | 45,39 | NO APTO | | NO APTO |
| 113 | 43133478Z | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 114 | 43039177J | 5 | 37,7 | 42,7 | NO APTO | | NO APTO |
| 115 | 43150187W | 9 | 42,68 | 51,68 | APTO | 10 | NO APTO |
| 116 | 43209082V | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 117 | 52031938G | 1 | 24,75 | 25,75 | NO APTO | | NO APTO |
| 118 | 43231114S | N/P | N/P | N/P | N/P | N/P | NO APTO |

CALIFICACIONES EXAMEN DIA 2 DE MAYO DE 2023

| | D.N.I. | CALLEJERO | TEST | TOTAL 1ª PARTE | TOTAL 2ª PARTE | CALIFICACIÓN EXAMEN | |
|-----|-----------|-----------|---------------|----------------|----------------|---------------------|---------|
| 119 | 45187220V | 9 | 47,02 | 56,02 | APTO | 17 | APTO |
| 120 | 43231768W | 7 | 40,7 | 47,7 | NO APTO | | NO APTO |
| 121 | 18234778X | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 122 | 43144088K | 2 | 27,07 | 29,07 | NO APTO | | NO APTO |
| 123 | 43124411D | 2 | HA HECHO EL T | 2 | NO APTO | | NO APTO |
| 124 | 18235771Z | 3 | 38,05 | 41,05 | NO APTO | | NO APTO |
| 125 | 50759309B | 4 | 34,04 | 38,04 | NO APTO | | NO APTO |
| 126 | 43147206B | 9 | 43,68 | 52,68 | APTO | 9 | NO APTO |
| 127 | 43123016V | 10 | 47,68 | 57,68 | APTO | 14 | APTO |
| 128 | 43209023G | 10 | 43,68 | 53,68 | APTO | 14 | APTO |
| 129 | 43215074Y | 5 | 37,38 | 42,38 | NO APTO | | NO APTO |
| 130 | Y3389706A | 5 | 28,73 | 33,73 | NO APTO | | NO APTO |
| 131 | 43100029F | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 132 | Y2195468V | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 133 | 43191344N | 7 | 47,36 | 54,36 | APTO | 13 | APTO |
| 134 | 43103319P | 2 | 32,4 | 34,4 | NO APTO | | NO APTO |
| 135 | 43088072X | 5 | 16,72 | 21,72 | NO APTO | | NO APTO |
| 136 | 43103372S | 6 | 35,02 | 41,02 | NO APTO | | NO APTO |
| 137 | 43215336S | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 138 | X3002037P | 0 | 12,45 | 12,45 | NO APTO | | NO APTO |
| 139 | 43174480F | 6 | 44,34 | 50,34 | APTO | 9 | NO APTO |
| 140 | Y1121302C | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 141 | Y0631476W | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 142 | X5805289C | 1 | 15,06 | 16,06 | NO APTO | | NO APTO |
| 143 | 43152181H | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 144 | 48835618V | 7 | 32,72 | 39,72 | NO APTO | | NO APTO |
| 145 | 04305410V | 6 | 46,35 | 52,35 | APTO | 14 | APTO |
| 146 | 43154826H | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 147 | 43480097T | 8 | 43,7 | 51,7 | APTO | 0 | NO APTO |
| 148 | 43055442V | 9 | 47,02 | 56,02 | APTO | 3 | NO APTO |
| 149 | 45699694M | 7 | 37,72 | 44,72 | NO APTO | | NO APTO |
| 150 | 43124726W | 8 | 47 | 55 | APTO | 9 | NO APTO |
| 151 | 80085165Q | 9 | 39,68 | 48,68 | NO APTO | | NO APTO |
| 152 | 43472216P | 4 | 22,76 | 26,76 | NO APTO | | NO APTO |
| 153 | 41542054Y | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 154 | 43116359F | 4 | 44,04 | 48,04 | NO APTO | | NO APTO |
| 155 | 43169832M | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 156 | 43062274H | 3 | 39,03 | 42,03 | NO APTO | | NO APTO |
| 157 | X3742331R | 5 | 39,04 | 44,04 | NO APTO | | NO APTO |
| 158 | 43220250F | 5 | 37,05 | 42,05 | NO APTO | | NO APTO |
| 159 | 43122330K | 4 | 28,05 | 32,05 | NO APTO | | NO APTO |
| 160 | 43116728P | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 161 | X3139186P | 8 | 26,37 | 34,37 | NO APTO | | NO APTO |
| 162 | Y2345400N | N/P | n/p | 0 | NO APTO | | NO APTO |
| 163 | 45698979A | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 164 | 43463922V | 6 | 37,37 | 43,37 | NO APTO | | NO APTO |
| 165 | 29019706P | 2 | 42,02 | 44,02 | NO APTO | | NO APTO |
| 166 | 46396377H | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 167 | 43148402B | 10 | 49,36 | 59,36 | APTO | 2 | NO APTO |
| 168 | 48353464N | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 169 | 43127470D | 7 | 37,03 | 44,03 | NO APTO | | NO APTO |
| 170 | 43115588H | 7 | 29,07 | 36,07 | NO APTO | | NO APTO |
| 171 | 41446458K | 9 | 43,01 | 52,01 | APTO | 14 | APTO |
| 172 | 49779524A | 8 | 47,36 | 55,36 | APTO | 10 | NO APTO |
| 173 | 43460632Q | 2 | 12,11 | 14,11 | NO APTO | | NO APTO |
| 174 | 42997817F | 9 | 42,03 | 51,03 | APTO | 3 | NO APTO |
| 175 | 42979161G | 3 | 27,06 | 30,06 | NO APTO | | NO APTO |
| 176 | 06016525R | 0 | 47 | 47 | NO APTO | | NO APTO |
| 177 | 45699842S | N/P | N/P | N/P | N/P | N/P | NO APTO |

CALIFICACIONES EXAMEN DIA 2 DE MAYO DE 2023

| | D.N.I. | CALLEJERO | TEST | TOTAL 1ª PARTE | | TOTAL 2ª PARTE | CALIFICACIÓN EXAMEN |
|-----|-----------|-----------|-------|----------------|---------|----------------|---------------------|
| 178 | X8546280D | 6 | 31,39 | 37,39 | NO APTO | | NO APTO |
| 179 | 43165398X | 8 | 13,4 | 21,4 | NO APTO | | NO APTO |
| 180 | X1787972K | 10 | 23,4 | 33,4 | NO APTO | | NO APTO |
| 181 | 43177392K | 3 | 34,73 | 37,73 | NO APTO | | NO APTO |
| 182 | 43140251W | 5 | 33,4 | 38,4 | NO APTO | | NO APTO |
| 183 | 41541786Z | 9 | 39,68 | 48,68 | NO APTO | | NO APTO |
| 184 | 43228794H | 1 | NP | 1 | NO APTO | | NO APTO |
| 185 | 45694558K | 4 | 35,04 | 39,04 | NO APTO | | NO APTO |
| 186 | 43173163R | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 187 | 43175322K | 5 | NP | 5 | NO APTO | | NO APTO |
| 188 | 09751785S | 10 | 45,36 | 55,36 | APTO | 0 | NO APTO |
| 189 | 43228571W | 10 | 37,36 | 47,36 | NO APTO | | NO APTO |
| 190 | 43105794E | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 191 | 39665249R | 5 | 44,69 | 49,69 | NO APTO | | NO APTO |
| 192 | 43184999S | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 193 | 46677698A | 4 | 38,7 | 42,7 | NO APTO | | NO APTO |
| 194 | 43148889S | 6 | 27,71 | 33,71 | NO APTO | | NO APTO |
| 195 | 46389487M | 8 | 18,06 | 26,06 | NO APTO | | NO APTO |
| 196 | 43117116M | 2 | 36,35 | 38,35 | NO APTO | | NO APTO |
| 197 | X4833438B | 7 | 34,38 | 41,38 | NO APTO | | NO APTO |
| 198 | Y1293450J | 2 | 3,72 | 5,72 | NO APTO | | NO APTO |
| 199 | 43204465T | 7 | 40,68 | 47,68 | NO APTO | | NO APTO |
| 200 | 43142892K | 8 | 42,01 | 50,01 | APTO | 0 | NO APTO |
| 201 | 43110468G | 7 | 33,4 | 40,4 | NO APTO | | NO APTO |
| 202 | 43182641A | 10 | 33,36 | 43,36 | NO APTO | | NO APTO |
| 203 | 41540212G | 6 | 36,7 | 42,7 | NO APTO | | NO APTO |
| 204 | 43177448P | 10 | 50 | 60 | APTO | 8 | NO APTO |
| 205 | 43119690A | 5 | 46,35 | 51,35 | APTO | 14 | APTO |
| 206 | 43176308H | 4 | 30,74 | 34,74 | NO APTO | | NO APTO |
| 207 | 43075539N | 5 | 43,68 | 48,68 | NO APTO | | NO APTO |
| 208 | 41697551T | 1 | 18,7 | 19,7 | NO APTO | | NO APTO |
| 209 | 43167002G | 8 | 40,03 | 48,03 | NO APTO | | NO APTO |
| 210 | 43170012R | 9 | 49,02 | 58,02 | APTO | 9 | NO APTO |
| 211 | 43165130H | 9 | 38,69 | 47,69 | NO APTO | | NO APTO |
| 212 | 73013594W | 10 | 40,03 | 50,03 | APTO | 1 | NO APTO |
| 213 | 49610606C | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 214 | X6909697Z | 6 | 45,37 | 51,37 | APTO | 9 | NO APTO |
| 215 | 71940765P | 6 | 41,35 | 47,35 | NO APTO | | NO APTO |
| 216 | 43144385L | 9 | 35,36 | 44,36 | NO APTO | | NO APTO |
| 217 | 46389204K | 9 | 44,68 | 53,68 | APTO | 4 | NO APTO |
| 218 | 18235217N | 9 | 41,38 | 50,38 | APTO | 10 | NO APTO |
| 219 | X4773164C | 9 | 51,02 | 60,02 | APTO | 11 | NO APTO |
| 220 | 44327151X | 7 | 37,38 | 44,38 | NO APTO | | NO APTO |
| 221 | 45185427H | 7 | 29,72 | 36,72 | NO APTO | | NO APTO |
| 222 | 41541827D | 10 | 38,36 | 48,36 | NO APTO | | NO APTO |
| 223 | 43085055Y | 2 | 20,1 | 22,1 | NO APTO | | NO APTO |
| 224 | 36577309H | 9 | 37,04 | 46,04 | NO APTO | | NO APTO |
| 225 | 43175490M | 7 | 38,71 | 45,71 | NO APTO | | NO APTO |
| 226 | 41518377L | 4 | 26,75 | 30,75 | NO APTO | | NO APTO |
| 227 | 43182416P | 6 | 29,4 | 35,4 | NO APTO | | NO APTO |
| 228 | 43135916Z | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 229 | 43193272P | 6 | 0 | 6 | NO APTO | | NO APTO |
| 230 | 43143702A | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 231 | 43185610M | 7 | 43,69 | 50,69 | APTO | 5 | NO APTO |
| 232 | 43019186D | 5 | 31,37 | 36,37 | NO APTO | | NO APTO |

CALIFICACIONES EXAMEN DIA 2 DE MAYO DE 2023

| | D.N.I. | CALLEJERO | TEST | TOTAL 1ª PARTE | TOTAL 2ª PARTE | CALIFICACIÓN EXAMEN | |
|-----|-----------|-----------|-------|----------------|----------------|---------------------|---------|
| 233 | 43163018E | 9 | 46,67 | 55,67 | APTO | 0 | NO APTO |
| 234 | 44327337N | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 235 | 43116896S | 8 | 50 | 58 | APTO | 13 | APTO |
| 236 | 49606428M | 9 | 41,02 | 50,02 | APTO | 9 | NO APTO |
| 237 | 43121373F | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 238 | 43188646M | 8 | 31,72 | 39,72 | NO APTO | | NO APTO |
| 239 | 43074540W | 5 | 42,7 | 47,7 | NO APTO | | NO APTO |
| 240 | 43145121L | 8 | 43,37 | 51,37 | APTO | 8 | NO APTO |
| 241 | 43169511Y | 7 | 34,38 | 41,38 | NO APTO | | NO APTO |
| 242 | 43091730B | 3 | 29,4 | 32,4 | NO APTO | | NO APTO |
| 243 | 43125377D | 6 | 40,04 | 46,04 | NO APTO | | NO APTO |
| 244 | 43179068H | 5 | 37,7 | 42,7 | NO APTO | | NO APTO |
| 245 | 43475705R | 6 | 39,34 | 45,34 | NO APTO | | NO APTO |
| 246 | 43120749G | 4 | 32,4 | 36,4 | NO APTO | | NO APTO |
| 247 | 43177506C | 9 | 42,02 | 51,02 | APTO | 4 | NO APTO |
| 248 | 43217617L | 7 | 23,37 | 30,37 | NO APTO | | NO APTO |
| 249 | 45697517J | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 250 | 43127546Q | 3 | 35,06 | 38,06 | NO APTO | | NO APTO |
| 251 | 43127215F | 9 | 43,02 | 52,02 | APTO | 9 | NO APTO |
| 252 | 71667386F | 9 | 42,67 | 51,67 | APTO | 8 | NO APTO |
| 253 | 43137172M | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 254 | 43123572K | 9 | 43,68 | 52,68 | APTO | 5 | NO APTO |
| 255 | 45691984T | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 256 | 45610386Y | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 257 | 43124071Z | 10 | 51,34 | 61,34 | APTO | 14 | APTO |
| 258 | 43139025H | 6 | 39,04 | 45,04 | NO APTO | | NO APTO |
| 259 | 43178453R | 9 | 31,71 | 40,71 | NO APTO | | NO APTO |
| 260 | 43078714J | 8 | 46,67 | 54,67 | APTO | 17 | APTO |
| 261 | 41519203V | 10 | 48,34 | 58,34 | APTO | 9 | NO APTO |
| 262 | 43167674D | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 263 | 43178952V | 9 | 50,01 | 59,01 | APTO | 14 | APTO |
| 264 | 43469339Y | 6 | 47,35 | 53,35 | APTO | 0 | NO APTO |
| 265 | 41697436T | 1 | 32,07 | 33,07 | NO APTO | | NO APTO |
| 266 | 50976618Q | 6 | 43,03 | 49,03 | NO APTO | | NO APTO |
| 267 | 49923696B | 4 | 38,72 | 42,72 | NO APTO | | NO APTO |
| 268 | Y3354909M | 7 | 43,69 | 50,69 | APTO | 0 | NO APTO |
| 269 | 43144866V | 8 | 44,35 | 52,35 | APTO | 9 | NO APTO |
| 270 | 43091181Z | 6 | 39,69 | 45,69 | NO APTO | | NO APTO |
| 271 | 43095427M | 7 | 40,69 | 47,69 | NO APTO | | NO APTO |
| 272 | 43140287S | 7 | 26,38 | 33,38 | NO APTO | | NO APTO |
| 273 | 43481684T | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 274 | 43695314Y | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 275 | 43483126Q | 10 | 43,35 | 53,35 | APTO | 1 | NO APTO |
| 276 | 43194338Q | 6 | 36,06 | 42,06 | NO APTO | | NO APTO |
| 277 | 45193168P | 0 | 21,74 | 21,74 | NO APTO | | NO APTO |
| 278 | 43096364E | 9 | 52,34 | 61,34 | APTO | 13 | APTO |
| 279 | 43058830R | 7 | 38,35 | 45,35 | NO APTO | | NO APTO |
| 280 | 43212616D | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 281 | 43010283F | 6 | 22,05 | 28,05 | NO APTO | | NO APTO |
| 282 | 43092463P | 4 | 38,04 | 42,04 | NO APTO | | NO APTO |
| 283 | 43473022D | 10 | 49,34 | 59,34 | APTO | 16 | APTO |

CALIFICACIONES EXAMEN DIA 2 DE MAYO DE 2023

| | D.N.I. | CALLEJERO | TEST | TOTAL 1ª PARTE | | TOTAL 2ª PARTE | CALIFICACIÓN EXAMEN |
|-----|-----------|-----------|-------|----------------|---------|----------------|---------------------|
| 284 | 55239547X | 2 | 12,12 | 14,12 | NO APTO | | NO APTO |
| 285 | 45694009R | 4 | 22,41 | 26,41 | NO APTO | | NO APTO |
| 286 | 43100120Y | 4 | 17,41 | 21,41 | NO APTO | | NO APTO |
| 287 | 43161609Q | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 288 | X3275594A | 4 | 36,36 | 40,36 | NO APTO | | NO APTO |
| 289 | 33287205H | 4 | 49,67 | 53,67 | APTO | 9 | NO APTO |
| 290 | 43112834R | 8 | 45,37 | 53,37 | APTO | 3 | NO APTO |
| 291 | 43129112H | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 292 | Y4678173X | 6 | 39,69 | 45,69 | NO APTO | | NO APTO |
| 293 | 43138159A | 8 | 30,05 | 38,05 | NO APTO | | NO APTO |
| 294 | 41542833A | 7 | 30,02 | 37,02 | NO APTO | | NO APTO |
| 295 | 43162918Z | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 296 | 20051071Q | 8 | 38,71 | 46,71 | NO APTO | | NO APTO |
| 297 | 43002061L | 3 | 42,02 | 45,02 | NO APTO | | NO APTO |
| 298 | 78215734W | 9 | 38,05 | 47,05 | NO APTO | | NO APTO |
| 299 | 44329548S | 5 | 37,35 | 42,35 | NO APTO | | NO APTO |
| 300 | 43461924C | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 301 | 43113206M | 6 | 47,68 | 53,68 | APTO | 9 | NO APTO |
| 302 | 30508906G | 3 | 48,35 | 51,35 | APTO | 9 | NO APTO |
| 303 | 21471838G | 6 | 49,69 | 55,69 | APTO | 0 | NO APTO |
| 304 | 49605339C | 4 | 17,43 | 21,43 | NO APTO | | NO APTO |
| 305 | 41616740B | 8 | 27,04 | 35,04 | NO APTO | | NO APTO |
| 306 | X8383608Q | 9 | 45,68 | 54,68 | APTO | 0 | NO APTO |
| 307 | 43217573K | 7 | 38,04 | 45,04 | NO APTO | | NO APTO |
| 308 | 43216588W | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 309 | 41542275C | 9 | 35,71 | 44,71 | NO APTO | | NO APTO |
| 310 | 44326834S | 6 | 48,03 | 54,03 | APTO | 3 | NO APTO |
| 311 | 43200692E | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 312 | 43463833C | N/P | N/P | N/P | N/P | N/P | NO APTO |
| 313 | 04302017M | 4 | 39,71 | 43,71 | NO APTO | | NO APTO |
| 314 | 04308894M | 7 | 44,68 | 51,68 | APTO | 14 | APTO |

NOTAS ACLARATORIAS:

N/P Persona que no se ha presentado al examen.

Segunda parte del examen no corregida por no haber obtenido la calificación de APTO en la primera parte