

CALIFICACIONES DEFINITIVAS EXAMEN DIA 2 DE MAYO DE 2023

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE		TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN
1	08112502B	6	44,69	50,69	APTO	9	NO APTO
2	43014184K	6	46,69	52,69	APTO	0	NO APTO
3	43171007F	N/P	N/P	N/P	N/P	N/P	NO APTO
4	04306814H	0	33,39	33,39	NO APTO		NO APTO
5	43163113W	9	48,01	57,01	APTO	1	NO APTO
6	07177464S	2	28,08	30,08	NO APTO		NO APTO
7	43147430M	5	27,05	32,05	NO APTO		NO APTO
8	43116854L	9	46,02	55,02	APTO	13	APTO
9	X2710221Q	1	24,68	25,68	NO APTO		NO APTO
10	X5070168W	7	49,01	56,01	APTO	13	APTO
11	53600100A	N/P	N/P	N/P	N/P	N/P	NO APTO
12	43120572B	4	16,11	20,11	NO APTO		NO APTO
13	41663627R	8	13,08	21,08	NO APTO		NO APTO
14	43085833W	7	30,72	37,72	NO APTO		NO APTO
15	43166628K	8	40,68	48,68	NO APTO		NO APTO
16	43116582T	6	28,08	34,08	NO APTO		NO APTO
17	43107801M	2	19,1	21,1	NO APTO		NO APTO
18	43226171V	6	17,41	23,41	NO APTO		NO APTO
19	43141591P	10	41,02	51,02	APTO	13	APTO
20	43188249E	4	12,77	16,77	NO APTO		NO APTO
21	43029078B	5	34,04	39,04	NO APTO		NO APTO
22	46389250K	8	28,71	36,71	NO APTO		NO APTO
23	41571788R	6	47,02	53,02	APTO	9	NO APTO
24	74680909R	N/P	N/P	N/P	N/P	N/P	NO APTO
25	43080384G	10	30,36	40,36	NO APTO		NO APTO
26	43072459Z	N/P	N/P	N/P	N/P	N/P	NO APTO
27	11074700Q	7	46,01	53,01	APTO	15	APTO
28	45610016G	6	31,04	37,04	NO APTO		NO APTO
29	43235781J	N/P	N/P	N/P	N/P	N/P	NO APTO
30	43168647Q	10	49,34	59,34	APTO	13	APTO
31	43134296G	2	30,71	32,71	NO APTO		NO APTO
32	Y3119972J	2	27,72	29,72	NO APTO		NO APTO
33	78221916C	4	31,35	35,35	NO APTO		NO APTO
34	43216247Y	9	44,68	53,68	APTO	13	APTO
35	43065550M	2	37,37	39,37	NO APTO		NO APTO
36	43086449C	9	43,37	52,37	APTO	14	APTO
37	41542181H	6	38,71	44,71	NO APTO		NO APTO
38	49771750A	6	35,05	41,05	NO APTO		NO APTO
39	43216619X	N/P	N/P	N/P	N/P	N/P	NO APTO
40	73084676Z	2	20,1	22,1	NO APTO		NO APTO
41	30956898W	7	40,36	47,36	NO APTO		NO APTO
42	43179235R	10	46,01	56,01	APTO	13	APTO
43	45612998L	N/P	N/P	N/P	N/P	N/P	NO APTO
44	43477175E	6	24,09	30,09	NO APTO		NO APTO
45	46392570Y	10	38,7	48,7	NO APTO		NO APTO
46	41542702X	N/P	N/P	N/P	N/P	N/P	NO APTO
47	43184534X	5	35,72	40,72	NO APTO		NO APTO
48	50864290C	2	24,69	26,69	NO APTO		NO APTO
49	43179943L	N/P	N/P	N/P	N/P	N/P	NO APTO
50	45697231A	N/P	N/P	N/P	N/P	N/P	NO APTO
51	43227847Z	N/P	N/P	N/P	N/P	N/P	NO APTO
52	43165686E	4	42,71	46,71	NO APTO		NO APTO
53	Y0558311T	9	38,05	47,05	NO APTO		NO APTO
54	43105229D	8	30,05	38,05	NO APTO		NO APTO
55	43228746Q	N/P	N/P	N/P	N/P	N/P	NO APTO
56	Y5716627Z	N/P	N/P	N/P	N/P	N/P	NO APTO
57	40971110Z	6	51,34	57,34	APTO	2	NO APTO
58	X2548167C	N/P	N/P	N/P	N/P	N/P	NO APTO
59	45610427R	9	40,36	49,36	NO APTO		NO APTO

CALIFICACIONES DEFINITIVAS EXAMEN DIA 2 DE MAYO DE 2023

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE		TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN
60	41695204E	1	21,41	22,41	NO APTO		NO APTO
61	52031696S	10	47,03	57,03	APTO	0	NO APTO
62	43225466W	5	15,73	20,73	NO APTO		NO APTO
63	43218063M	3	41,7	44,7	NO APTO		NO APTO
64	43213998B	8	25,4	33,4	NO APTO		NO APTO
65	43174511S	9	35,7	44,7	NO APTO		NO APTO
66	43119011Z	8	21,42	29,42	NO APTO		NO APTO
67	43153308H	7	48,03	55,03	APTO	0	NO APTO
68	43217466Y	8	44,37	52,37	APTO	1	NO APTO
69	43233653R	6	35,71	41,71	NO APTO		NO APTO
70	41711005E	5	36,39	41,39	NO APTO		NO APTO
71	X7695795H	0	20,76	20,76	NO APTO		NO APTO
72	43135956P	8	40,7	48,7	NO APTO		NO APTO
73	41541582V	3	20,05	23,05	NO APTO		NO APTO
74	43180198K	10	50,68	60,68	APTO	13	APTO
75	43124529N	N/P	N/P	N/P	N/P	N/P	NO APTO
76	43118899V	4	24,73	28,73	NO APTO		NO APTO
77	43224102H	7	38,36	45,36	NO APTO		NO APTO
78	43118236K	N/P	N/P	N/P	N/P	N/P	NO APTO
79	43082151T	4	43,69	47,69	NO APTO		NO APTO
80	77402442J	6	32,39	38,39	NO APTO		NO APTO
81	43126786S	9	41,04	50,04	APTO	3	NO APTO
82	76267131M	4	45,03	49,03	NO APTO		NO APTO
83	43210413Z	7	37,01	44,01	NO APTO		NO APTO
84	43109560Q	N/P	N/P	N/P	N/P	N/P	NO APTO
85	41540222Z	9	36,37	45,37	NO APTO		NO APTO
86	41519133Q	5	43,34	48,34	NO APTO		NO APTO
87	43056920T	7	40,02	47,02	NO APTO		NO APTO
88	49607643R	N/P	N/P	N/P	N/P	N/P	NO APTO
89	43090722S	3	42,68	45,68	NO APTO		NO APTO
90	43050006D	3	22,42	25,42	NO APTO		NO APTO
91	43116369V	9	45,02	54,02	APTO	0	NO APTO
92	41540736E	6	46,36	52,36	APTO	1	NO APTO
93	43047490T	6	46,01	52,01	APTO	9	NO APTO
94	43150619C	8	48,35	56,35	APTO	14	APTO
95	43469248F	10	46,67	56,67	APTO	13	APTO
96	44325897K	9	48,69	57,69	APTO	13	APTO
97	41520322D	10	28,36	38,36	NO APTO		NO APTO
98	41541729A	10	38,36	48,36	NO APTO		NO APTO
99	43120859E	7	44,36	51,36	APTO	0	NO APTO
100	05256859W	2	42,01	44,01	NO APTO		NO APTO
101	43148927F	N/P	N/P	N/P	N/P	N/P	NO APTO
102	31673991R	N/P	N/P	N/P	N/P	N/P	NO APTO
103	41697520S	7	31,05	38,05	NO APTO		NO APTO
104	43135383X	6	40,67	46,67	NO APTO		NO APTO
105	43152340Q	10	46,03	56,03	APTO	13	APTO
106	43233904E	7	39,37	46,37	NO APTO		NO APTO
107	43084912R	2	48,03	50,03	APTO	0	NO APTO
108	X3626577Y	8	37,7	45,7	NO APTO		NO APTO
109	49071447G	8	39,03	47,03	NO APTO		NO APTO
110	43054303M	3	28,71	31,71	NO APTO		NO APTO
111	49779044Y	N/P	N/P	N/P	N/P	N/P	NO APTO
112	43159047F	8	37,39	45,39	NO APTO		NO APTO
113	43133478Z	N/P	N/P	N/P	N/P	N/P	NO APTO
114	43039177J	5	37,7	42,7	NO APTO		NO APTO
115	43150187W	9	42,68	51,68	APTO	11	NO APTO
116	43209082V	N/P	N/P	N/P	N/P	N/P	NO APTO
117	52031938G	1	24,75	25,75	NO APTO		NO APTO
118	43231114S	N/P	N/P	N/P	N/P	N/P	NO APTO

CALIFICACIONES DEFINITIVAS EXAMEN DIA 2 DE MAYO DE 2023

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE	TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN	
119	45187220V	9	47,02	56,02	APTO	17	APTO
120	43231768W	7	40,7	47,7	NO APTO		NO APTO
121	18234778X	N/P	N/P	N/P	N/P	N/P	NO APTO
122	43144088K	2	27,07	29,07	NO APTO		NO APTO
123	43124411D	2	HA HECHO EL T	2	NO APTO		NO APTO
124	18235771Z	3	38,05	41,05	NO APTO		NO APTO
125	50759309B	4	34,04	38,04	NO APTO		NO APTO
126	43147206B	9	43,68	52,68	APTO	13	APTO
127	43123016V	10	47,68	57,68	APTO	14	APTO
128	43209023G	10	43,68	53,68	APTO	14	APTO
129	43215074Y	5	37,38	42,38	NO APTO		NO APTO
130	Y3389706A	5	28,73	33,73	NO APTO		NO APTO
131	43100029F	N/P	N/P	N/P	N/P	N/P	NO APTO
132	Y2195468V	N/P	N/P	N/P	N/P	N/P	NO APTO
133	43191344N	7	47,36	54,36	APTO	13	APTO
134	43103319P	2	32,4	34,4	NO APTO		NO APTO
135	43088072X	5	16,72	21,72	NO APTO		NO APTO
136	43103372S	6	35,02	41,02	NO APTO		NO APTO
137	43215336S	N/P	N/P	N/P	N/P	N/P	NO APTO
138	X3002037P	0	12,45	12,45	NO APTO		NO APTO
139	43174480F	6	44,34	50,34	APTO	9	NO APTO
140	Y1121302C	N/P	N/P	N/P	N/P	N/P	NO APTO
141	Y0631476W	N/P	N/P	N/P	N/P	N/P	NO APTO
142	X5805289C	1	15,06	16,06	NO APTO		NO APTO
143	43152181H	N/P	N/P	N/P	N/P	N/P	NO APTO
144	48835618V	7	32,72	39,72	NO APTO		NO APTO
145	04305410V	6	46,35	52,35	APTO	14	APTO
146	43154826H	N/P	N/P	N/P	N/P	N/P	NO APTO
147	43480097T	8	43,7	51,7	APTO	0	NO APTO
148	43055442V	9	47,02	56,02	APTO	3	NO APTO
149	45699694M	7	37,72	44,72	NO APTO		NO APTO
150	43124726W	8	47	55	APTO	9	NO APTO
151	80085165Q	9	39,68	48,68	NO APTO		NO APTO
152	43472216P	4	22,76	26,76	NO APTO		NO APTO
153	41542054Y	N/P	N/P	N/P	N/P	N/P	NO APTO
154	43116359F	4	44,04	48,04	NO APTO		NO APTO
155	43169832M	N/P	N/P	N/P	N/P	N/P	NO APTO
156	43062274H	3	39,03	42,03	NO APTO		NO APTO
157	X3742331R	5	39,04	44,04	NO APTO		NO APTO
158	43220250F	5	37,05	42,05	NO APTO		NO APTO
159	43122330K	4	28,05	32,05	NO APTO		NO APTO
160	43116728P	N/P	N/P	N/P	N/P	N/P	NO APTO
161	X3139186P	8	26,37	34,37	NO APTO		NO APTO
162	Y2345400N	N/P	n/p	0	NO APTO		NO APTO
163	45698979A	5	37,39	42,39	NO APTO	N/P	NO APTO
164	43463922V	6	37,37	43,37	NO APTO		NO APTO
165	29019706P	2	42,02	44,02	NO APTO		NO APTO
166	46396377H	N/P	N/P	N/P	N/P	N/P	NO APTO
167	43148402B	10	49,36	59,36	APTO	2	NO APTO
168	48353464N	N/P	N/P	N/P	N/P	N/P	NO APTO
169	43127470D	7	37,03	44,03	NO APTO		NO APTO
170	43115588H	7	29,07	36,07	NO APTO		NO APTO
171	41446458K	9	43,01	52,01	APTO	14	APTO
172	49779524A	8	47,36	55,36	APTO	13	APTO
173	43460632Q	2	12,11	14,11	NO APTO		NO APTO
174	42997817F	9	42,03	51,03	APTO	3	NO APTO
175	42979161G	3	27,06	30,06	NO APTO		NO APTO
176	06016525R	0	47	47	NO APTO		NO APTO
177	45699842S	N/P	N/P	N/P	N/P	N/P	NO APTO

CALIFICACIONES DEFINITIVAS EXAMEN DIA 2 DE MAYO DE 2023

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE		TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN
178	X8546280D	6	31,39	37,39	NO APTO		NO APTO
179	43165398X	8	13,4	21,4	NO APTO		NO APTO
180	X1787972K	10	23,4	33,4	NO APTO		NO APTO
181	43177392K	3	34,73	37,73	NO APTO		NO APTO
182	43140251W	5	33,4	38,4	NO APTO		NO APTO
183	41541786Z	9	39,68	48,68	NO APTO		NO APTO
184	43228794H	1	NP	1	NO APTO		NO APTO
185	45694558K	4	35,04	39,04	NO APTO		NO APTO
186	43173163R	N/P	N/P	N/P	N/P	N/P	NO APTO
187	43175322K	5	NP	5	NO APTO		NO APTO
188	09751785S	10	45,36	55,36	APTO	0	NO APTO
189	43228571W	10	37,36	47,36	NO APTO		NO APTO
190	43105794E	N/P	N/P	N/P	N/P	N/P	NO APTO
191	39665249R	5	44,69	49,69	NO APTO		NO APTO
192	43184999S	N/P	N/P	N/P	N/P	N/P	NO APTO
193	46677698A	4	38,7	42,7	NO APTO		NO APTO
194	43148889S	6	27,71	33,71	NO APTO		NO APTO
195	46389487M	8	18,06	26,06	NO APTO		NO APTO
196	43117116M	2	36,35	38,35	NO APTO		NO APTO
197	X4833438B	7	34,38	41,38	NO APTO		NO APTO
198	Y1293450J	2	3,72	5,72	NO APTO		NO APTO
199	43204465T	7	40,68	47,68	NO APTO		NO APTO
200	43142892K	8	42,01	50,01	APTO	13	APTO
201	43110468G	7	33,4	40,4	NO APTO		NO APTO
202	43182641A	10	33,36	43,36	NO APTO		NO APTO
203	41540212G	6	36,7	42,7	NO APTO		NO APTO
204	43177448P	10	50	60	APTO	8	NO APTO
205	43119690A	5	46,35	51,35	APTO	14	APTO
206	43176308H	4	30,74	34,74	NO APTO		NO APTO
207	43075539N	5	43,68	48,68	NO APTO		NO APTO
208	41697551T	1	18,7	19,7	NO APTO		NO APTO
209	43167002G	8	40,03	48,03	NO APTO		NO APTO
210	43170012R	9	49,02	58,02	APTO	10	NO APTO
211	43165130H	9	38,69	47,69	NO APTO		NO APTO
212	73013594W	10	40,03	50,03	APTO	1	NO APTO
213	49610606C	N/P	N/P	N/P	N/P	N/P	NO APTO
214	X6909697Z	6	45,37	51,37	APTO	9	NO APTO
215	71940765P	6	41,35	47,35	NO APTO		NO APTO
216	43144385L	9	35,36	44,36	NO APTO		NO APTO
217	46389204K	9	44,68	53,68	APTO	4	NO APTO
218	18235217N	9	41,38	50,38	APTO	10	NO APTO
219	X4773164C	9	51,02	60,02	APTO	13	APTO
220	44327151X	7	37,38	44,38	NO APTO		NO APTO
221	45185427H	7	29,72	36,72	NO APTO		NO APTO
222	41541827D	10	38,36	48,36	NO APTO		NO APTO
223	43085055Y	2	20,1	22,1	NO APTO		NO APTO
224	36577309H	9	37,04	46,04	NO APTO		NO APTO
225	43175490M	7	38,71	45,71	NO APTO		NO APTO
226	41518377L	4	26,75	30,75	NO APTO		NO APTO
227	43182416P	6	29,4	35,4	NO APTO		NO APTO
228	43135916Z	N/P	N/P	N/P	N/P	N/P	NO APTO
229	43193272P	6	0	6	NO APTO		NO APTO
230	43143702A	N/P	N/P	N/P	N/P	N/P	NO APTO
231	43185610M	7	43,69	50,69	APTO	5	NO APTO
232	43019186D	5	31,37	36,37	NO APTO		NO APTO

CALIFICACIONES DEFINITIVAS EXAMEN DIA 2 DE MAYO DE 2023

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE	TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN	
233	43163018E	9	46,67	55,67	APTO	0	NO APTO
234	44327337N	N/P	N/P	N/P	N/P	N/P	NO APTO
235	43116896S	8	50	58	APTO	13	APTO
236	49606428M	9	41,02	50,02	APTO	10	NO APTO
237	43121373F	N/P	N/P	N/P	N/P	N/P	NO APTO
238	43188646M	8	31,72	39,72	NO APTO		NO APTO
239	43074540W	5	42,7	47,7	NO APTO		NO APTO
240	43145121L	8	43,37	51,37	APTO	8	NO APTO
241	43169511Y	7	34,38	41,38	NO APTO		NO APTO
242	43091730B	3	29,4	32,4	NO APTO		NO APTO
243	43125377D	6	40,04	46,04	NO APTO		NO APTO
244	43179068H	5	37,7	42,7	NO APTO		NO APTO
245	43475705R	6	39,34	45,34	NO APTO		NO APTO
246	43120749G	4	32,4	36,4	NO APTO		NO APTO
247	43177506C	9	42,02	51,02	APTO	4	NO APTO
248	43217617L	7	23,37	30,37	NO APTO		NO APTO
249	45697517J	N/P	N/P	N/P	N/P	N/P	NO APTO
250	43127546Q	3	35,06	38,06	NO APTO		NO APTO
251	43127215F	9	43,02	52,02	APTO	9	NO APTO
252	71667386F	9	42,67	51,67	APTO	8	NO APTO
253	43137172M	N/P	N/P	N/P	N/P	N/P	NO APTO
254	43123572K	9	43,68	52,68	APTO	5	NO APTO
255	45691984T	N/P	N/P	N/P	N/P	N/P	NO APTO
256	45610386Y	N/P	N/P	N/P	N/P	N/P	NO APTO
257	43124071Z	10	51,34	61,34	APTO	14	APTO
258	43139025H	6	39,04	45,04	NO APTO		NO APTO
259	43178453R	9	31,71	40,71	NO APTO		NO APTO
260	43078714J	8	46,67	54,67	APTO	17	APTO
261	41519203V	10	48,34	58,34	APTO	9	NO APTO
262	43167674D	N/P	N/P	N/P	N/P	N/P	NO APTO
263	43178952V	9	50,01	59,01	APTO	14	APTO
264	43469339Y	6	47,35	53,35	APTO	0	NO APTO
265	41697436T	1	32,07	33,07	NO APTO		NO APTO
266	50976618Q	6	43,03	49,03	NO APTO		NO APTO
267	49923696B	4	38,72	42,72	NO APTO		NO APTO
268	Y3354909M	7	43,69	50,69	APTO	3	NO APTO
269	43144866V	8	44,35	52,35	APTO	9	NO APTO
270	43091181Z	6	39,69	45,69	NO APTO		NO APTO
271	43095427M	7	40,69	47,69	NO APTO		NO APTO
272	43140287S	7	26,38	33,38	NO APTO		NO APTO
273	43481684T	N/P	N/P	N/P	N/P	N/P	NO APTO
274	43695314Y	N/P	N/P	N/P	N/P	N/P	NO APTO
275	43483126Q	10	43,35	53,35	APTO	1	NO APTO
276	43194338Q	6	36,06	42,06	NO APTO		NO APTO
277	45193168P	0	21,74	21,74	NO APTO		NO APTO
278	43096364E	9	52,34	61,34	APTO	13	APTO
279	43058830R	7	38,35	45,35	NO APTO		NO APTO
280	43212616D	N/P	N/P	N/P	N/P	N/P	NO APTO
281	43010283F	6	22,05	28,05	NO APTO		NO APTO
282	43092463P	4	38,04	42,04	NO APTO		NO APTO
283	43473022D	10	49,34	59,34	APTO	16	APTO

CALIFICACIONES DEFINITIVAS EXAMEN DIA 2 DE MAYO DE 2023

	D.N.I.	CALLEJERO	TEST	TOTAL 1ª PARTE		TOTAL 2ª PARTE	CALIFICACIÓN EXAMEN
284	55239547X	2	12,12	14,12	NO APTO		NO APTO
285	45694009R	4	22,41	26,41	NO APTO		NO APTO
286	43100120Y	4	17,41	21,41	NO APTO		NO APTO
287	43161609Q	N/P	N/P	N/P	N/P	N/P	NO APTO
288	X3275594A	4	36,36	40,36	NO APTO		NO APTO
289	33287205H	4	49,67	53,67	APTO	9	NO APTO
290	43112834R	8	45,37	53,37	APTO	13	APTO
291	43129112H	N/P	N/P	N/P	N/P	N/P	NO APTO
292	Y4678173X	6	39,69	45,69	NO APTO		NO APTO
293	43138159A	8	30,05	38,05	NO APTO		NO APTO
294	41542833A	7	30,02	37,02	NO APTO		NO APTO
295	43162918Z	N/P	N/P	N/P	N/P	N/P	NO APTO
296	20051071Q	8	38,71	46,71	NO APTO		NO APTO
297	43002061L	3	42,02	45,02	NO APTO		NO APTO
298	78215734W	9	38,05	47,05	NO APTO		NO APTO
299	44329548S	5	37,35	42,35	NO APTO		NO APTO
300	43461924C	N/P	N/P	N/P	N/P	N/P	NO APTO
301	43113206M	6	47,68	53,68	APTO	14	APTO
302	30508906G	3	48,35	51,35	APTO	9	NO APTO
303	21471838G	6	49,69	55,69	APTO	0	NO APTO
304	49605339C	4	17,43	21,43	NO APTO		NO APTO
305	41616740B	8	27,04	35,04	NO APTO		NO APTO
306	X8383608Q	9	45,68	54,68	APTO	0	NO APTO
307	43217573K	7	38,04	45,04	NO APTO		NO APTO
308	43216588W	N/P	N/P	N/P	N/P	N/P	NO APTO
309	41542275C	9	35,71	44,71	NO APTO		NO APTO
310	44326834S	6	48,03	54,03	APTO	3	NO APTO
311	43200692E	N/P	N/P	N/P	N/P	N/P	NO APTO
312	43463833C	N/P	N/P	N/P	N/P	N/P	NO APTO
313	04302017M	4	39,71	43,71	NO APTO		NO APTO
314	04308894M	7	44,68	51,68	APTO	14	APTO